







Contents

| Performance Groups | 2 | Bar Tape | 50 | Shift Inner Wire | 75 |
|---------------------------|----|---------------|----|----------------------|----|
| Icon Guide | 3 | Tools | 52 | Brake Inner Wire | 77 |
| DIY Cable Kits | 4 | Cable Tips | 61 | Housing Guide | 79 |
| Hydraulic Hose & Fittings | 24 | End Cap Guide | 62 | Shift Housing | 82 |
| Disc Brake Rotors | 34 | End Caps | 63 | Brake Housing | 83 |
| Disc Brake Pads | 38 | Adjusters | 66 | Jagwire Basics | 84 |
| Disc Brake Pad Guide | 39 | Small Parts | 68 | Dealer Displays | 86 |
| Rim Brake Pads | 46 | Cable Guide | 74 | Warranty Information | 87 |

1

JAGWIRE PERFORMANCE GROUPS

Performance Groups/

With a product range that includes everything from elite level, race-ready products to entry-level, basic solutions, we use four performance levels to make it easy to understand. Our products are classified into one of four ranges:

ULTIMATE ELITE

The best, race-ready products available.

BEST PRO

High-performance upgrades to standard housing and cables.

BETTER SPORT

OEM-level replacement products that combine durability and performance.

GOOD BASICS

No-nonsense, low-cost, reliable replacement parts.

Compatibility



Designed specifically for road bicycles. From road-specific cable heads to brake pads for carbon rims, these components fly down the road.



Designed specifically for mountain bicycles. From MTB disc brake pads to hydraulic hose, these parts smooth out the trail.



Thoughtfully crafted to work on just about any bicycle. This versatile gear slots right into place.

Component Compatibility



Contains everything required for a complete service of shift system.



Compatible with hydraulic braking systems.



Compatible with cable-actuated braking systems on mountain bicycles.



Compatible with cable-actuated braking systems on mountain and road bicycles.



Compatible with cable-actuated braking systems on road bicycles.



Compatible with cable-actuated height-adjustable seatposts.

Brake Pad Type



designed for carbon fiber braking surfaces.



Brake compound designed for use in any weather condition.



Pad compound designed for exceptional stopping power in dry conditions. For use with alloy brake surfaces.



Pad compound designed for superior wet-weather performance.

Tech



Slick-Lube is a method of manufacturing with consistently distributed lubrication.



Manufactured with weight-reducing materials or construction techniques.



Ultra-slick cables have extra surface treatment to dramatically reduce friction.



Jagwire hydraulic hoses incorporate Quick-Fit adapters to offer compatibility with most popular brake systems.



Extra length and anti-kink end caps are all part of folding bike cable kits.



Additional housing is included in extra-long kits.

Cable Ends



SRAM® and Shimano® shift cable head on one end, welded tip on the other.



Campagnolo® shift cable head on one end, welded tip on the other.



SRAM® and Shimano® road brake cable head on one end, welded tip on the other.



Campagnolo® road brake cable head on one end, welded tip on the other.




SRAM*/Shimano* road brake cable head on one end SRAM*/ Shimano* MTB brake cable head on the other.



SRAM® and Shimano® MTB brake cable head on one end, welded tip on the other.





2x Elite Link Shift

- · Durable aluminum housing won't kink or rust
- · Compressionless housing and ultra-slick polished cables deliver precise shifting performance
- 20% lighter than traditional linear strand shift housings
- Bikes with continuous housing and/or extra-large frames may need additional links and/or liners.
 Service parts for Elite Link Shift Kits can be found on page 73





Cable Length: 2300mm Front / 2300mm Rear

What's Included: 1 400mm Link Segment on 2000mm Lubed Liner

- 400mm Link Segment on 1430mm Lubed Liner
- 1 300mm Link Segment on 1120mm Lubed Liner
- 1 310mm & 350mm Link Segments on 1300mm Lubed Liner
- 2 2300mm STS-EL Inner Cables, SRAM/Shimano
- 30 Extra Links
- 2 LEX-SL 4mm Shift Housing Segment, 300mm
- 2 4mm Open Alloy End Cap
- 2 Pro Indexed Inline Adjuster
- 2 Housing Connectors (4mm/4mm)
- 4 Adapter End Caps to 4mm Shift Housing
- 2 Color-Matched Cable Tips
- 15 Mini Tube Tops
- 6 Cable Donuts
- 1 Dirt Guard
- 2 Rotating Hooks



Black





Red



Blue


















1x Elite Link Shift

Silver

- Durable, aluminum housing won't kink or rust and is 20% lighter than traditional shift housing
- · Compressionless housing and ultra-slick polished cables deliver precise shifting performance
- Includes enough housing and end caps for a rear derailleur or internally geared hub on a typical frame
- Bikes with continuous housing and/or extra-large frames may need additional links and/or liners.
 Service parts for Elite Link Shift Kits can be found on page 73



1 LEX-SL 4mm Shift Housing Segment, 300mm

1 4mm Open Alloy End Cap

1 Pro Indexed Inline Adjuster

1 Housing Connectors (4mm/4mm)

3 Adapter End Caps to 4mm Shift Housing

1 Color-matched Cable Tip

8 Mini Tube Tops

Rotating Hooks







Red


















Elite Link Brake

Jagwire Elite Link Brake Kits are the ultimate combination of durability and attention-grabbing looks. Available in six eyecatching colors and for road or mountain bikes, they improve any bike's performance and appearance.

The Elite Link housing uses a series of aluminum links to provide a compressionless system for better braking performance with enhanced modulation. But unlike other compressionless housing, its flexibility allows for tight bends without kinking. It's also much lighter than traditional housing while being more durable. Combine these benefits with Elite, ultra-slick polished cables and Slick-Lube liners, and you've got the best of performance and style.

- Precise, compressionless braking performance combined with extreme flexibility
- Each kit comes with links pre-installed on housing segments making setup quick and simple
- 50% weight savings compared to traditional brake housing
- Durable, ultra-slick polished inner cables minimize system friction
- Limited edition Gray color available for 2021



Road Elite Link Brake

- · Durable, aluminum housing won't kink or rust
- Compressionless housing and ultra-slick polished cables result in crisp brake lever feel
- 50% lighter than traditional coiled steel brake housings; 30% lighter than Kevlar -reinforced brake housings
- Bikes with continuous housing, disc brakes, and/or extra-large frames may need additional links and/or liners.
 Service parts for Road Elite Link Brake Kits can be found on page 73





Housing Aluminum Links
Construction: with Slick-Lube Liner
Housing Diameter: 5.0mm

Cable STS-EL Elite Polished
Construction: Slick Stainless
Compatibility: SRAM*/Shimano*
Road

Housing Length: 1300mm maximum (additional links and liners available separately)

Cable Length: 1350mm Front / 2350mm Rear

What's Included: 1 400mm Link Segment on 2000mm Lubed Liner

1 400mm Link Segment on 1300mm Lubed Liner1 240mm Link Segment on 710mm Lubed Liner

1 1350mm Elite Ultra-Slick Polished Stainless Front Brake Inner Cable

1 2350mm Elite Ultra-Slick Polished Stainless Rear Brake Inner Cable

26 Extra Links

2 CGX-SL Brake Housing Segment, 300mm

2 Open Alloy End Caps

2 Adapter End Caps to 5mm Housing Stop

2 Adapter End Caps to 5mm Brake Housing

2 Color-Matched Cable Tips

7 Mini Tube Tops

3 Cable Donuts

2 Rotating Hooks

Gold



Silver

RCK700

Black





Red



Blue
















Mountain Elite Link Brake

- Durable, aluminum housing won't kink or rust
- Compressionless housing and ultra-slick polished cables result in crisp brake lever feel
- 50% lighter than traditional coiled steel housings; 30% lighter than Kevlar reinforced brake housings
- Bikes with continuous housing, disc brakes, and/or extra-large frames may need additional links and/or liners.
 Service parts for Mountain Elite Link Brake Kits can be found on page 73



- What's Included: 1 450mm Link Segment on 2000mm Lubed Liner
 - 1 450mm Link Segment on 1300mm Lubed Liner
 - 1 280mm Link Segment on 610mm Lubed Liner
 - 1 1350mm Elite Ultra-Slick Polished Stainless Front Brake Inner Cable
 - 1 2350mm Elite Ultra-Slick Polished Stainless Front Brake Inner Cable
 - 25 Extra Links
 - 2 Guide Pipe End Caps
 - 2 Adapter End Caps to 5mm Brake Housing
 - 2 Color-Matched Cable Tips
 - 7 Mini Tube Tops
 - 3 Cable Donuts
 - 2 Pipe Boots
 - 2 Rotating Hooks











Blue

















Elite Sealed Shift

Jagwire Elite Sealed Shift Kits use a continuous liner that seals the system completely, protecting it against dirt, water, and other contamination. Available in three colors and for 1x or 2x drivetrains, this system offers the ultimate combination of protection and low-friction performance.

To ensure the best possible performance, we've paired Elite Polished Ultra-Slick inner cables with our Slick-Lube continuously-lubricated liners. This combination delivers precise cable movement and excellent durability.

- The continuous liner running from the levers to the derailleur offers outstanding protection from dirt and debris
- Elite Polished Ultra-Slick cables are paired with Slick-Lube liners to minimize friction
- Lightweight XEX shift housing is nearly 30% lighter than traditional shift housing
- 2x kits are designed for use with both front and rear derailleurs, while 1x kits are for rear derailleur or internally geared hub only

2x Elite Sealed Shift

- Elite Polished Ultra-Slick inner cables and Slick-Lube liners dramatically reduce friction
- XEX housing is nearly 30% lighter weight than traditional shift housing
- 5.0mm shift housing and 1.9mm inner liner may not be compatible with all frames and components
- Service parts for Elite Sealed Shift Kits can be found on page 73





Cable STS-EL Elite Polished Housing XEX Construction: Construction: Slick Stainless SRAM®/Shimano® **Outside Diameter:** 5.0mm Compatibility: Road & Mountain **Housing Length:** 3200mm Cable Length: 2300mm Front / 2300mm Rear

3200mm XEX Shift Housing What's Included:

2300mm STS-EL Elite Polished Ultra-Slick Shift Inner Cables

2225mm Slick-Lube Liners

300mm 4mm LEX-SL Shift Housing

Open Brass End Caps

Open Alloy End Caps for 5mm Housing

Open Alloy End Caps for 4mm Housing Pro Indexed Inline Adjusters (4mm / 5mm)

Housing Connectors (4mm / 5mm)

Cable Tips

Grub Seals

2 5G Tube Tops

2 Rotating Hooks













1x Elite Sealed Shift

- Elite Polished Ultra-Slick inner cables and Slick-Lube liners dramatically reduce friction
- Includes enough housing and end caps for a rear derailleur or internally geared hub
- 5.0mm shift housing and 1.9mm inner liner may not be compatible with all frames and components
- Service parts for Elite Sealed Shift Kits can be found on page 73





STS-EL Elite Polished Housing XEX Construction: Construction: Slick Stainless SRAM®/Shimano® **Outside Diameter:** Compatibility: 5.0mm Road & Mountain **Housing Length:** 2200mm Cable Length: 2300mm

What's Included: 2200mm XEX Housing

2300mm STS-EL Inner Cable 2225mm Slick-Lube Liner

300mm 4mm LEX-SL Shift Housing

5mm Open Brass End Caps

5mm Open Alloy End Cap

4mm Open Alloy End Cap

Pro Indexed Inline Adjuster (4mm/5mm) Housing Connector (4mm/5mm)

Cable Tip

Grub Seal

5G Tube Top

1 Rotating Hook

SCK020 Stealth

SCK021
















Elite Sealed Brake


Jagwire Sealed Brake Kits use a continuous liner that seals the system completely, protecting it against dirt, water, and other contamination. Available in three colors for road bike brake systems, this system offers the ultimate combination of protection and low-friction performance.

To ensure the best possible performance, we've paired Elite Polished Ultra-Slick inner cables with our Slick-Lube continuously-lubricated liners. This combination delivers precise cable movement and excellent durability.

- The continuous liner running from the levers to the brake calipers offers outstanding protection from dirt and debris
- Elite Polished Ultra-Slick cables are paired with Slick-Lube liners to minimize friction
- · Since most high-performance mountain bikes use hydraulic or mechanical disc brakes with full housing, Elite Sealed Brake kits are available only for road bikes

Road Elite Sealed Brake

- Elite Polished Ultra-Slick inner cables and Slick-Lube liners dramatically reduce friction
- 2.4mm inner liner may not be compatible with all frames and components
- Service parts for Elite Sealed Brake Kits can be found on page 73



1275mm Slick-Lube Liner 1925mm Slick-Lube Liner 2 Open Brass End Caps 4 Open Alloy End Caps

Cable Tips

2 Grub Seals 2 5G Tube Tops

2 Rotating Hooks

















Jagwire Pro Shift kits deliver improved performance and style. Pro polished cables used with improved Slick-Lube liners provide an upgrade over OEM cable systems, with enhanced shifting precision and long-lasting performance.

Available in 1x or 2x versions, our Pro Shift kits are designed to work with nearly all frames and shifting systems. And with small parts included for both road and mountain systems, these kits are quick and easy to install. Pro Shift kits are offered in 10 colors to match Jagwire's Pro Brake and Hydraulic Hose kits.

- · Pro Polished Slick cables combined with Slick-Lube liners offer enhanced shifting precision and long-lasting performance
- · All parts are included for a complete shift cable and housing installation on a road or mountain bike
- · Kits contain extra-long inner cables and ample housing for large frames or continuous housing runs
- 2x kits are designed for use with both front and rear derailleurs, while 1x kits are for rear derailleur or internally geared hub only
- Black kits contain gloss black housing with silver logos; Stealth Black kits have matte black housing featuring black logos

2x Pro Shift

- · Pro Polished Slick inner cables and Slick-Lube liners increase precision and durability
- Includes enough housing and end caps for front and rear derailleurs using nearly any cable routing type
- A performance upgrade above standard OEM cables and housing

6 Lined Alloy End Caps2 Hooded Alloy End Caps

Cable Tips

2 5G Tube Tops6 Cable Donuts2 Rotating Hooks

2

Includes 240mm flexible housing segment for use with Shimano RD-R9100 and RD-R8000 rear derailleurs







1x Pro Shift

- Pro level polished cables and Slick-Lube liners increase precision and durability
- Includes enough housing and end caps for a rear derailleur or internally geared hub
- A performance enhancement above standard OEM cables and housing

5G Tube Tops

Cable Donuts Rotating Hook

3












SLICK-LUBE



| PCK550 | PCK551 | PCK552 | PCK553 | PCK554 | PCK555 | PCK556 | PCK557 | PCK558 | PCK559 | |
|--------|----------|---------|--------|--------|----------|--------|--------|----------|---------|--|
| Black | Ice Gray | Organic | White | Red | SID Blue | Orange | Yellow | Bianchi® | Stealth | |
| | | Green | | | | | | Celeste | Black | |



Pro Brake /

Jagwire Road Pro and Mountain Pro Brake kits offer enhanced performance and style. Designed to work with and match our Pro Shift Kits, the Pro Polished Slick brake cables combine with improved Slick-Lube liners to dramatically reduce friction. Kevlar -reinforced, compressionless brake housing delivers smooth, powerful braking performance. And with all needed parts included, our Pro Brake kits are easy to install.


- Pro level polished cables combined with Slick-Lube, Kevlar -reinforced housing provide enhanced, long-lasting braking performance
- All parts needed for a complete brake cable and housing install are included
- Kits contain extra-long inner cables and ample housing for large frames with continuous housing runs or mechanical disc brakes
- Pro Brake kits are available in 10 colors and finishes
- Black kits contain gloss black housing with silver logos; Stealth Black kits have matte black housing featuring black logos

Road Pro Brake

- · Kevlar -reinforced housing results in crisp brake lever feel
- · Pro Polished Slick cables combined with Slick-Lube liners improve braking performance
- · Appearance options from classic to colorful







What's Included: 1 3000mm KEB-SL Brake Housing

- 1 1500mm STS-PS Pro Polished Slick Front Brake Inner Cable
- 1 2800mm STS-PS Pro Polished Slick Front Brake Inner Cable
- 2 Open Alloy End Caps
- 2 Lined Alloy End Caps
- 2 POP Alloy End Caps
- 2 Cable Tips
- 2 5G Tube Tops
- 6 Cable Donuts
- 2 EZ-Bend Housing Segments











| PCK200 Black | PCK201 Ice Gray | PCK202 Organic | PCK203 White | PCK204 Red | PCK205 SID Blue | PCK206 Orange | PCK207 Yellow | PCK208 Bianchi® | PCK209 Stealth | |
|-----------------|--------------------|-------------------|-----------------|---------------|--------------------|------------------|------------------|--------------------|-------------------|--|
| | • | Green | | | | | | Celeste | Black | |

Mountain Pro Brake


• Kevlar -reinforced housing results in crisp brake lever feel

2 POP End Caps3 Cable Donuts2 5G Tube Tops2 Cable Tips2 Rotating Hooks

- Pro-level polished cables combined with Slick-Lube liners enhance braking performance
- Appearance options from classic to colorful


















| PCK400 | PCK401 | PCK402 | PCK403 | PCK404 | PCK405 | PCK406 | PCK407 | PCK408 | PCK409 | |
|--------|----------|------------------|--------|--------|----------|--------|--------|---------------------------------|------------------|--|
| Black | Ice Gray | Organic Green | White | Red | SID Blue | Orange | Yellow | Bianchi [®] Celeste | Stealth Black | |





Pro Dropper

- Pro Polished Slick cables combined with Slick-Lube liners improve dropper post performance
- Includes enough housing for either internally or externally-routed seatposts
- 0.8mm inner cable is for use only with dropper seatposts
- · Flexible housing construction improves performance with internal routing and tight housing bends













| Housing Construction: | FLEX with Slick-Lube Liner | Cable Construction: | STR-PS Pro Polished Stainless Steel |
|--------------------------|-------------------------------|--|--|
| Outside Diameter: | 4.0mm | Compatibility: | SRAM®/Shimano® Road or Mountain |
| Housing Length: | 1700mm | Cable Length: | 2000mm |
| What's Included: | 1 1700mm FLEX-SL Housing | ////////////////////////////////////// | |

- 1 2000mm STR-PS Pro Polished Stainless Dropper Inner Cable
- 2 Sealed Alloy End Caps
- 2 Lined Alloy End Caps
- 1 Cable Tip
- 1 5G Tube Top
- 1 Rotating Hook
- 2 Heat-Shrink Shims





Pro Dropper Kit Service Parts

- Replacement parts for Pro Dropper Kits
- Dropper inner cables include 2x Heat-Shrink Shims

| Part Number | Description | Diameter | Length | Material | Compatibility | Quantity |
|-------------|-------------------------|----------|--------|------------------------|------------------------|----------|
| 60PS2000 | Pro Dropper Inner Cable | 0.8mm | 2000mm | Pro Polished Stainless | Dropper Seatposts Only | 1 |



Sport Shift

A great replacement for OE cables and a perfect way to bring style to a bike, our Sport Shift kits make it easy. They come with weld-cut single-ended Slick Stainless cables for easy installation with modern SRAM and Shimano shifters. Our improved Slick-Lube liners reduce friction, providing shifting precision and long-lasting performance. 2x kits are designed for use with both front and rear derailleurs, while 1x kits are for rear derailleur or internally geared hub only.

VEGUIRE LEVE

- Single-ended shift cables are compatible with SRAM and Shimano drivetrains
- Sport Slick Stainless cables combined with Slick-Lube liners offer dependable shifting performance and durability
- · All parts needed for a complete shift cable and housing installation are included

2x Sport Shift

- Weld-cut inner cables make for easy installation on SRAM and Shimano shifters
- Includes everything needed for a complete shift cable and housing replacement for front and rear derailleurs
- OEM-level cables and housing with high-quality small parts





Housing LEX or LEX Braided Cable Slick Stainless Construction: with Slick-Lube Liner Construction: **Outside Diameter:** Solid Color 4.0mm Compatibility: SRAM®/Shimano® Braided 4.5mm Road and Mountain Housing Length: 2700mm Cable Length: 1500mm Front / 2300mm Rear

What's Included: 2700mm LEX-SL Shift Housing

1500mm Sport Slick Stainless Front Shift Inner Cable 2300mm Sport Slick Stainless Rear Shift Inner Cable

Sealed Alloy End Caps

Hooded Alloy End Cap

2 Cable Tips 2 5G Tube Tops

6 Cable Donuts

2 Rotating Hooks























UCK324 Pink



Silver



Silver

1x Sport Shift

- Stainless steel inner cables, Slick-Lube liners, and high-quality small parts provide durable, consistent performance
- Includes everything needed for a complete shift cable and housing replacement
- Includes enough housing and end caps for a rear derailleur or internally geared hub







Cable Slick Stainless Construction:

Compatibility: SRAM®/Shimano® Road and Mountain

Housing Length: 2200mm Cable Length: 2300mm

2200mm LEX-SL Shift Housing

2300mm STS Inner Cable (SRAM/Shimano nipple ONLY)

Sealed End Caps

Hooded End Cap

Cable Tip

5G Tube Top

Cable Donuts

Rotating Hook














What's Included:











Universal Sport Brake

- Double-ended cables are compatible with both mountain and road brakes
- · Includes everything needed for a complete brake cable and housing replacement
- OEM-level cables and housing with high-quality small parts



Outside Diameter:



Housing CGX Coil-wound Steel Construction: with Slick-Lube Liner

Cable Slick Stainless Construction: Compatibility: SRAM®/Shimano®

5.0mm **Housing Length:** 3000mm

Mountain & Road 1350mm Front / 2350mm Rear Cable Length:

1 3000mm CGX-SL Brake Housing What's Included:

1350mm Sport Slick Stainless Front Brake Inner Cable 1 2350mm Sport Slick Stainless Rear Brake Inner Cable

9 Open Alloy End Caps2 Cable Tips

2 5G Tube Tops

6 Cable Donuts

2 Rotating Hooks



























Ice Gray

White

Purple

Braided White

Pink

Silver

Silver



Sport XL /

When it comes to cables and housing, some bikes just need more. With the same Slick Stainless inner cables and continuously-lubricated Slick-Lube housing as the rest of our Sport DIY kits, these XL kits are perfect for folding bikes, tandems, recumbents, cargo bikes and others with unusual cable routing.


- Sport Slick Stainless cables combined with Slick-Lube liners offer dependable shifting performance and durability
- Includes Anti-Kink End Caps to prevent damage when folding a bike
- Single-ended shift cables are compatible with SRAM and Shimano drivetrains
- Double-ended brake cables are compatible with SRAM and Shimano road and mountain systems
- All parts needed for a complete shift cable and housing installation are included

Sport Shift XL

- Single-ended cables are compatible with SRAM and Shimano drivetrains
- · Includes longer inner cables and more housing for full-length housing runs, folding bikes, and other unusual builds
- Anti-kink end caps prevent housing damage when bicycle is folded









2300mm Sport Slick Stainless Front Shift Inner Cable 2500mm Sport Slick Stainless Rear Shift Inner Cable

Sealed Alloy End Caps Anti-Kink End Caps Hooded End Cap

2 Cable Tips

2 5G Tube Tops 6 Cable Donuts

2 Rotating Hooks













Universal Sport Brake XL

- Double-ended cables are compatible with both mountain and road brakes
- Includes longer inner cables and more housing for full-length housing runs, folding bikes, and other unusual builds
- Anti-kink end caps prevent housing damage when bicycle is folded



UCK610

Black



CGX Coil-wound Steel Housing Construction: with Slick-Lube Liner **Outside Diameter:** 5.0mm

Construction: Compatibility: SRAM®/Shimano® Mountain and Road

Slick Stainless

Cable Length: 2000mm Front / 2500mm Rear **Housing Length:** 3500mm

Cable

What's Included: 1 3500mm CGX-SL Brake Housing

- 2000mm Sport Slick Stainless Front Brake Inner Cable
- 2500mm Sport Slick Stainless Rear Brake Inner Cable
- Open Alloy End Caps
- Anti-Kink End Caps 2
- 2 Cable Tips
- 2 5G Tube Tops
- 6 Cable Donuts
- 2 Rotating Hooks

















HYDRAULIC HOSE

Pro Hydraulic Hose

- · High pressure hose uses a Kevlar weave and Tefzel inner liner to enhance braking power, resist expansion, and improve lever feel
- Pro Hydraulic Hoses are compatible with both mineral oil and DOT fluid braking systems
- When paired with the appropriate Quick-Fit" adapters, these kits are compatible with most popular hydraulic disc brake systems



Each hose has 2 caliper-side universal Quick-Fit[™] connectors.
















HYDRAULIC HOSE

Pro Quick-Fit™ Adapters

• Use the Fit Finder at jagwire.com for the most up-to-date list of compatible models

| Part-Number | Lever Side | Caliper Side | Compatibility | Compatible Models |
|-------------|--|--|--|---|
| HFA207 | | 0 0 | SRAM®, Avid® | SRAM® G2 Ultimate, G2 RSC, G2 RS, G2 R; Guide Ultimate, Guide RSC (B1), Guide RS (B1), Guide R (B1); Avid® XX World Cup 2010–2011, XX™ 2010–2011; Avid® Juicy Ultimate™, Juicy Carbon, Juicy Seven™, Juicy Five™ |
| HFA208 | | (C) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A | SRAM®, Avid® | SRAM [®] Guide RSC (A1), Guide RS (A1), Guide R (A1); Level TL (A1); DB5; Avid [®] Elixir R, CR, CR Mag, 5, 7, 9, X0, XX 2012–2016, XX World Cup 2012; 7 Trail, 9 Trail, X0 Trail |
| HFA209 | | ── | SRAM®, Avid® | SRAM® Level Ultimate (B1), Level TLM (B1), Level T, Level; Guide RE; Avid® Code, Code 5, Elixir 1, 3; Juicy 3; DB3, DB1 |
| HFA210 | | = = | SRAM [®] | $SRAM^{\circ}Level$ Ultimate (A1), TLM (A1); Code RSC (A1), Code R (B1) |
| HFA213 | = | | SRAM* | SRAM [®] Red eTap AXS HRD Monoblock (2019); Red eTap HRD (2017–2019); S900 Aero HRD (2017-2019) |
| HFA306 | ⊢ • • • • • • • • • • • • • • • • • • • | | Shimano® | XTR M9120, M9020, M9000, M988, M987, M985; Saint M820; Deore XT M8120, M8100, M8020, M8000, M785, T785; SLX M7120, M7100, M7000, M675, M666; ZEE M640; Alfine S700 |
| HFA310 | | | Shimano® | XTR M9110, M9100; Deore XT M8110; SLX M7110; Deore M6120, M6100, M6000, M596, M615; Deore LX T675; Non-Series MT520, MT420 |
| HFA311 | ← • • • • • • • • • • • • • • • • • • • | 0 | Shimano® | Road/CX RS805, RS785, RS505, RS405 |
| HFA312 | | | Shimano® | XTR M975; Deore XT M775; SLX M665; Deore LX T665, M585; Hone M601; Deore T615, M595, M535, M525; Alfine S7000, S500, S501; Metrea U5000; Alivio M4050; Acera M3050; Non- Series T605, MT500, MT410, MT400, MT200, M575, M486, M485, M447, M446, M445, M395, M365, M355, M315, UR300 |
| HFA314 | | 0 | Shimano® | Dura Ace R9120, R9170, R9180; Ultegra R8020, R8070; 105 R7070; Tiagra 4770; GRX RX810, RX400 |
| HFA401 | | ••• | Magura® | Gustav M 2000–2010, Marta 2007–2010, Marta Gold 2007, Marta SL 2008–2010, |
| HFA402 | | *** | Magura [®] | Clara 2000–2002, Gustav M 2000–2011, Julie HP 2009, Marta 2002–2010, Marta SL 2003–2011, Marta Gold 2007, Louise 2000–2010, Louise FR 2002–2006, Louise BAT 2008–2010, Louise Carbon 2008–2010 |
| HFA406 | | 0 | Magura® | MT Trail SL, MT Trail Sport, MT8 SL, MT8 Pro, MT8, MT8 SL Flatmount, MT7 Pro, MT7, MT6, MT5, MT5e, MT4, MT4 Flatmount, MT4e |
| HFA502 | | | Formula [®] | R1R, R1, RO, RX, T1, Mega |
| HFA601 | e | 000 | Hayes [®] | Dominion A4, Dominion A2; Prime Expert, Prime Pro, Prime Comp; Stroker Trail, Stroker Carbon, Stroker Ace, Stroker Gram |
| HFA602 | | 0 | Hayes® | Dyno Sport, Dyno Comp; Prime Sport; Radar; Stroker Ryde |
| HFA701 | | | Hope® | Tech 3 X2; Race Evo X2, M4; Tech Evo X2, M4, V2; Race X2; Tech X2, M4, V2; Mini, Mini Trials; Mono Mini, Mono M4, 6TI; Moto V2, M6 |
| HFA801 | → • • • • • • • • • • • • • • • • • • • | •••• O | Tektro® | Auriga Comp, Auriga Comp WS; Draco, Draco WS, Draco 2; Gemini |
| HFA802 | | | Tektro [®] , TRP [®] | Tektro [®] Auriga Pro; Gemini SL; Orion, Orion SL; Volans; TRP [®] Slate T4; Quadiem, Quadiem SL; Dash Carbon, Dash Sport |





High quality hydraulic control lines don't have to come with a premium price. The new Jagwire Sport Hydraulic Hose kits provide dependable performance and offer exceptional value. An excellent alternative to OEM hydraulic hose, they feature a durable, flexible reinforced layer surrounding a low-friction inner tubing to deliver light brake lever action and trustworthy braking power.

Offered as single hose kits for individual brakes or in bulk boxes for workshop use, Sport Hydraulic Hose is available for most popular road and mountain hydraulic disc brake systems.

- High performance hydraulic hose provides effective braking power and control
- Available separately for DOT or mineral oil hydraulic disc brake systems
- Kits include hose and fittings for a single brake; no additional fittings are required
- Bulk boxes include 10x 2000mm hoses with caliper-side fittings pre-installed or 30 meters of uncut hose (mineral oil only)



HYDRAULIC HOSE





🗝 Sport Mineral Hydraulic Hose

- Sport Hydraulic Hose Kits include hose and necessary fittings for one brake lever and caliper system
- Kits contain needle insert, compression bushing, compression nut and seals for the listed compatible brake models
- 2000mm of HPP Hydraulic Hose
- For use with mineral oil brake systems ONLY

| Part No. | Color | Compatibility | Compatible Models |
|----------|-------|---------------------|--|
| HBKB301 | Black | Shimano® | XTR M9120, M9020, M988, M985; Saint M820; Deore XT M8120, M8100, M8020, M8000, M785, T785; SLX M7120, M7100, M7000, M675, M666; ZEE M640; Alfine S700 |
| НВКВ302 | Black | Shimano® | XTR M9110, M9100; Deore XT M8110; SLX M7110; Deore M6120, M6100, M6000, M596, M615; Deore LX T675; Non-Series MT520, MT420 |
| НВКВ303 | Black | Shimano® | XTR M975; Deore XT M775; SLX M665; Deore LX T665, M585; Hone M601; Deore T615, M595, M535, M525; Alfine S7000, S500, S501; Metrea U5000; Alivio M4050; Acera M3050; Road/CX RS805, RS785, RS505, RS405; Non-Series T605, MT500, MT410, MT400, MT200, M575, M486, M485, M447, M446, M445, M395, M365, M355, M315, UR300 |
| HBKB304 | Black | Shimano® | Dura Ace R9120, R9170, R9180; Ultegra R8020, R8070; 105 R7070; Tiagra 4770; GRX RX810, RX400 |
| HBKB401 | Black | Magura [®] | MT Trail SL, MT Trail Sport, MT8 SL, MT8 Pro, MT8, MT8 SL Flatmount, MT7 Pro, MT7, MT6, MT5, MT5e, MT4, MT4 Flatmount, MT4e |









- Sport Hydraulic Hose Kits include hose and necessary fittings for one brake lever and caliper system
- Kits contain needle insert, compression bushing, compression nut and seals for the listed compatible brake models
- 2000mm of HFK Hydraulic Hose
- For use with DOT brake systems ONLY

| Part No. | Color | | Compatibility | Compatible Models |
|----------|-------|---------|-------------------|---|
| HBKF201 | Black | | SRAM® / Avid® | SRAM® G2 Ultimate, G2 RSC, G2 RS, G2 R; Guide Ultimate, Guide RSC (B1), Guide RS (B1), Guide R (B1); Avid®XX World Cup 2010–2011, XX® 2010–2011; Juicy Ultimate®, Juicy Carbon, Juicy Seven®, Juicy Five® |
| HBKF202 | Black | | SRAM® / Avid® | SRAM [®] Guide RSC (A1), Guide RS (A1), Guide R (A1); Level TL (A1); DB5; Avid [®] Elixir R, CR, CR Mag, 5, 7, 9, X0, XX 2012–2016, XX World Cup 2012; 7 Trail, 9 Trail, X0 Trail |
| HBKF203 | Black | <u></u> | SRAM* | Red 22 (B1) Post Mount; Force 22, Force 1, CX1 Post Mount; Rival 22, Rival 1 Post Mount; Apex Post Mount, S700 HRD (B1) |
| HBKF204 | Black | | SRAM° | Level Ultimate (A1), TLM (A1); Code RSC (A1), Code R (B1) |
| HBKF205 | Black | | SRAM® | Red eTap AXS HRD Monoblock (2019); Red eTap HRD (2017–2019); S900 Aero HRD (2017-2019) |
| HBKF206 | Black | | SRAM [®] | Red 22 (B1) Flat Mount; Force 22, Force 1, CX1 Flat Mount; Rival 22, Rival 1 Flat Mount; Apex Flat Mount |

HYDRAULIC HOSE

Sport Mineral Hydraulic Hose — Workshop Box

- Bulk box includes 10x 2000mm hoses with caliper-side fittings attached
- Use Jagwire seals and lever-side fittings **ONLY** (sold separately page 32-33)
- HPP hydraulic hose construction
- · For use with mineral oil brake systems ONLY

| Part No. | Color | Qty | Compatibility | Compatible Models |
|----------|-------|-----|---------------|--|
| HBFB200 | Black | 10 | Shimano® | XTR M9120, M9020, M988, M985; Saint M820; Deore XT M8120, M8100, M8020, M8000, M785, T785; SLX M7120, M7100, M7000, M675, M666; ZEE M640; Alfine S700 |





Sport Mineral Hydraulic Hose — 30M Shop Roll

- Includes 30 meters of uncut HPP hydraulic hose
- · Cut hose to length, and use Jagwire fittings to install on compatible brake systems with inline hose connections
- Use Jagwire seals and lever-side fittings ONLY (sold separately page 32-33)
- For use with mineral oil brake systems ONLY

| Part No. | Color | Compatibility | Length | Package |
|----------|-------|---|-----------|--------------|
| HBFB000 | Black | Mineral Oil Brake Systems ONLY Fittings Sold Separately Use Jagwire Fittings Only | 30 Meters | Workshop Box |






Sport DOT Hydraulic Hose — Workshop Box

- Bulk box includes 10x 2000mm hoses with caliper-side fittings attached
- Use Jagwire seals and lever-side fittings ONLY (sold separately page 32-33)
- HFK hydraulic hose construction
- For use with DOT brake systems ONLY

| Part No. | Color | Qty | Compatibility | Compatible Models |
|----------|-------|-----|---------------|--|
| HBFF201 | Black | 10 | SRAM® / Avid® | SRAM® G2 Ultimate, G2 RSC, G2 RS, G2 R; Guide Ultimate, Guide RSC (B1), Guide RS (B1), Guide R (B1); Avid® XX World Cup 2010–2011, XX® 2010–2011; Juicy Ultimate®, Juicy Carbon, Juicy Seven®, Juicy Five® |
| HBFF202 | Black | 10 | SRAM® / Avid® | SRAM [®] Guide RSC (A1), Guide RS (A1), Guide R (A1); Level TL (A1); DB5; Avid [®] Elixir R, CR, CR Mag, 5, 7, 9, X0, XX 2012–2016, XX World Cup 2012; 7 Trail, 9 Trail, X0 Trail |





Hydraulic Hose Fittings Combo Box

HFA900: Includes a variety of common fittings and seals for a range of disc brakes from Avid*, Formula*, Magura*, Shimano*, Hayes*, and Tektro*.



Hydraulic Hose Fittings Mini Combo Box

HFA910: Includes the most common lever-side fittings for SRAM®, Avid®, and Shimano® disc brakes.





Avid® Compression Bushing for Stealth-a-Majig x 10



HFA305 Shimano* Compression Bushing 2 packs of 10 (20 total)




HFA313 Shimano Needle for XTR M985, M988 (2011) x 10

HYDRAULIC HOSE FITTINGS

Hydraulic Hose Fittings Refill Packs

• Refill packs for Jagwire Combo Boxes; For use with Jagwire hydraulic hoses only

| art No. | | Color | Description | Compatibility | Qty | Package |
|---------|----------|------------------------------|--|---|------------|---------|
| IFA028 | 00 | Silver/Brown Silver/Black | Oil Seal | M6 for Mineral Oil (Brown) M6 for DOT Fluid (Black) | // 10 each | Bag |
| IFA029 | 0 | Silver/Brown | Oil Seal | M8 for Mineral Oil | 20 | Bag |
| IFA030 | 0 | Black | O-Ring | M6 Avid SRAM Fittings (DOT) | 15 | Bag |
| IFA034 | 00 | Red | O-Ring | M6 Banjo Fittings (Mineral Oil) | 20 | Bag |
| IFA035 | 00 | Black | O-Ring | M6 Banjo Fittings (DOT) | 20 | Bag |
| IFA032 | | Black | Lever Side Protector | Most Hydraulic Brake Levers Cut to Fit | 5 | Bag |
| IFA203 | Ŋ | Black | Compression Nut | SRAM [®] / Avid [®] / Tektro [®] M8-0.75 x 15mm Long | 10 | Bag |
| IFA211 | 9 @ | Silver | Compression Bushing | SRAM [®] / Avid [®] "Stealth-a-Majig" | 10 | Bag |
| IFA212 | هر 🕯 | Silver | Needle Insert | SRAM [®] / Avid [®] "Stealth-a-Majig" Torx [®] T8 Drive | 10 | Bag |
| IFA303 | 10 | Black | Compression Nut | Shimano® M8-0.75 x 18.8mm Long | 10 | Bag |
| IFA305 | | Brass | Compression Bushing | Shimano® / Tektro® | 10 | Bag |
| IFA309 | | Silver | Needle Insert | Shimano [®] High Pressure | 10 | Bag |
| IFA313 | امرأ | Brass | Needle Insert | Shimano® "J-Type" Low Pressure | 10 | Bag |
| IFA403 | i, | Black | Compression Nut | Shimano [®] / Magura [®] M8-0.75 x 14mm Long | 10 | Bag |
| IFA404 | مرا | Black | Needle Insert | Magura [®] | 10 | Bag |
| IFA405 | | Brass | Compression Bushing | Magura [®] | 10 | Bag |
| IFA407 | 1 | Silver | Compression Nut | Magura [®] MT Series M9-1.25 x 14mm Long | 10 | Bag |
| IFA503 | 8 | Silver | Compression Nut | Formula [®] M8-1.0 x 12mm Long | 10 | Bag |
| IFA504 | احرا | Brass | Needle Insert | Formula [*] | 10 | Bag |
| IFA505 | | Silver | Compression Bushing | Formula [®] | 10 | Bag |
| IFA603 | ₽ | Brass | Needle Insert / Compression Bushing | Hayes | 10 | Bag |
| IFA604 | | Black | Compression Nut | Hayes [®] | 10 | Bag |





DISC BRAKE ROTORS

Pro Disc Brake Rotors

- 2-piece design features an aluminum spider and a separate stainless steel brake track
- · Aluminum spider resists warping and helps reduce rotating weight
- 6-Bolt rotors include T25 mounting hardware
- Centerlock lockrings available separately and can be found on page 37
- Not compatible with brakes with pads that extend below the caliper body. Examples include the Avid BB7, Avid Juicy, Hayes HFX, and Hayes MX1

| Part Number | Description | Hub/Brake Compatibility | Rotor Size | Weight |
|-------------|-----------------------------|-------------------------|------------|--------|
| DCR063 | Pro LR2 Disc Brake Rotor | 6-Bolt Disc | 203mm | 175g |
| DCR060 | Pro LR2 Disc Brake Rotor | 6-Bolt Disc | 180mm | 151g |
| DCR061 | Pro LR2 Disc Brake Rotor | 6-Bolt Disc | 160mm | 125g |
| DCR062 | Pro LR2 Disc Brake Rotor | 6-Bolt Disc | 140mm | 109g |



| Part Number | Description | Hub/Brake Compatibility | Rotor Size | Weight |
|-------------|-----------------------------|-------------------------|------------|--------|
| DCR073 | Pro LR2 Disc Brake Rotor | Centerlock Disc | 203mm | 187g |
| DCR070 | Pro LR2 Disc Brake Rotor | Centerlock Disc | 180mm | 163g |
| DCR071 | Pro LR2 Disc Brake Rotor | Centerlock Disc | 160mm | 137g |
| DCR072 | Pro LR2 Disc Brake Rotor | Centerlock Disc | 140mm | 122g |



Pro Disc Brake Rotors with Magnet

- Integrated magnet for use with E-bike speed sensors
- 2-piece design features an aluminum spider and a separate stainless steel brake track
- 6-Bolt rotors include T25 mounting hardware
- Centerlock lockrings available separately and can be found on page 37
- Not compatible with brakes with pads that extend below the caliper body. Examples include the Avid BB7, Avid Juicy, Hayes HFX, and Hayes MX1

| Part Number | Description | Hub/Brake Compatibility | Rotor Size | Weight |
|-------------|---|-------------------------|------------|--------|
| DCR083 | Pro LR2-E Disc Brake Rotor w/ Magnet | 6-Bolt Disc | 203mm | 179g |
| DCR080 | Pro LR2-M E-Bike Disc Brake Rotor | 6-Bolt Disc | 180mm | 154g |



| Part Number | Description | Hub/Brake Compatibility | Rotor Size | Weight |
|-------------|---|-------------------------|------------|--------|
| DCR093 | Pro LR2-E Disc Brake Rotor w/ Magnet | Centerlock Disc | 203mm | 192g |
| DCR090 | Pro LR2-E Disc Brake Rotor w/ Magnet | Centerlock Disc | 180mm | 167g |







DISC BRAKE ROTORS


Sport Disc Brake Rotors

- Durable stainless steel brake track resists corrosion
- Reinforced spider design improves stability and resists warping
- 6-Bolt rotors include T25 mounting hardware
- Centerlock lockrings available separately

| Part Number | Description | Hub/Brake Compatibility | Rotor Size | Weight |
|-------------|-------------------------------|-------------------------|------------|--------|
| DCR043 | Sport SR1 Disc Brake Rotor | 6-Bolt Disc | 203mm | 192g |
| DCR040 | Sport SR1 Disc Brake Rotor | 6-Bolt Disc | 180mm | 151g |
| DCR041 | Sport SR1 Disc Brake Rotor | 6-Bolt Disc | 160mm | 127g |
| DCR042 | Sport SR1 Disc Brake Rotor | 6-Bolt Disc | 140mm | 109g |



| Part Number | Description | Hub/Brake Compatibility | Rotor Size | Weight |
|-------------|-------------------------------|-------------------------|------------|--------|
| DCR053 | Sport SR1 Disc Brake Rotor | Centerlock Disc | 203mm | 213g |
| DCR050 | Sport SR1 Disc Brake Rotor | Centerlock Disc | 180mm | 172g |
| DCR051 | Sport SR1 Disc Brake Rotor | Centerlock Disc | 160mm | 148g |
| DCR052 | Sport SR1 Disc Brake Rotor | Centerlock Disc | 140mm | 131g |



Brake Rotor Accessories

| | Lockrings | | | | | | |
|-----|-----------|-------|---|-------------------|----------|-----|---------|
| | Part No. | Color | Description | Compatibility | Material | Qty | Package |
| new | DCF001 | Black | Centerlock Rotor Lockring Inner Type | 9mm - 12mm Axles | Alloy | 1 | Blister |
| new | DCF002 | Black | Centerlock Rotor Locking Outer Type | 15mm - 20mm Axles | Alloy | 1 | Blister |

Shims

| | Part No. | Color | Description | Material | Thickness | Qty | Package |
|----|----------|--------|------------------------|-----------------|-----------|-----|---------|
| eW | DCF003 | Silver | Centerlock Rotor Shims | Stainless Steel | 0.2mm | 10 | Bag |
| | | | | | | | |
| | DCA025 | Silver | 6-Bolt Rotor Shims | Stainless Steel | - | 20 | Blister |





Different riding styles and conditions demand different brake pads. Designed to deliver long-lasting stopping power and modulation, Jagwire offers six different pad options to give riders the best combination of materials and compounds for their ride.

Jagwire pads are offered for a wide variety of the most popular disc brake systems. Sport pads are available either with an all-purpose semi-metallic compound or a quiet organic compound. Upgrades are available with Pro Semi-Metallic pads to reduce weight or Pro Extreme Sintered pads for improved power in all conditions. All new Pro E-Bike pads are designed specifically for the unique needs of e-bikes, while Elite Cooling pads offer premium performance for the most demanding riders.

What's Important

- Six performance levels are available: Sport Semi-Metallic, Sport Organic, Pro E-Bike, Pro-Semi-Metallic, Pro Extreme Sintered, and Elite Cooling
- Choose the brake compound to match your bike and riding style
- All pads are sold in pairs and include springs or clips when necessary
- Bulk boxes are available for select systems and include 25 pairs, along with springs and clips



DISC BRAKE PAD GUIDE

Disc brakes are not just for mountain bikes anymore! With more riders discovering the advantages of using disc brakes on their bikes, it's important to understand the types of pads available and which is best suited to different bikes and conditions. With six different pad types in over 25 shapes, Jagwire has options for nearly every bike and rider.

ELITE COOLING



Excessive heat is the enemy of a high-performance brake system. Not only can the pad compound glaze over and result in a sudden loss of braking power, extreme high temperatures can even cause hydraulic brake fluid to boil. Cooling disc brake pads are designed and built to pull heat away from the braking surface and into cooling fins above the brake, where it can be safely dissipated into the air.

WHEN TO USE: For riders that push their bikes to the limit, Elite Cooling pads keep their brakes working their best, even on the biggest descents.





Electric-assist bikes have unique needs for braking performance. With additional weight and speed from the motor, E-bikes put significant strain on the brake pads. Pro E-Bike disc brake pads are tuned to provide additional stopping power and durabiility. They also offer consistent modulation with little braking noise.

WHEN TO USE: Designed for the unique demands of pedal-assist E-bikes, Pro E-Bike pads are perfect for both city E-bikes and E-MTBs.

PRO EXTREME SINTERED



When durability and consistency is necessary in all riding conditions, look no further than the Pro Extreme Sintered pads. With a dense, aggressive sintered compound, these pads deliver dependable, confident stopping power, even when things get hot. Mounted on a steel backing plate, the compound also resists water, making it especially effective in wet conditions.

WHEN TO USE: A favorite of Cyclocross, DH, and Enduro racers, sintered pads are ideal for wet, dirty conditions and continue to perform when pushed to the limit.

PRO SEMI-METALLIC



For riders looking for premium performance, Jagwire Pro Semi-Metallic pads feature a lightweight aluminum backing plate, reducing the weight by nearly 50%. The high-performance semi-metallic compound combines the low-noise and positive braking feel of a resin pad with the longevity and wet-weather performance of a metallic pad.

WHEN TO USE: Perfect for road bikes, XC race, or any other bike where every gram counts.


SPORT SEMI-METALLIC



Our most popular disc brake pads, the Sport Semi-Metallic pads are a great choice for most riders. An upgrade over most OEM pads, they feature a high-performance semi-metallic compound that blends the low-noise of a resin pad with the durability of a metallic pad. Mounted to a steel backing plate, these provide both performance and value.

WHEN TO USE: Combining the best attributes of both organic and metallic pad compounds, Sport Semi-Metallic pads are an excellent all-purpose option.

SPORT ORGANIC



Organic disc brake pads offer good stopping power while keeping noise to a minimum. While not as durable as other pad types, they feature a resin-based compound that provides a positive brake feel and excellent modulation. Mounted on a steel backing plate, these pads deliver outstanding value.

WHEN TO USE: These pads are great for bikes that are primarily ridden in dry conditions and riders that prefer their brakes to have more initial grab.

NOTE: If a brake rotor is labeled "For Resin Pads Only", ONLY use organic / resin pad compounds. Semi-Metallic, E-Bike, and Sintered compounds are NOT compatible

Elite Cooling Disc Brake Pads

- Use the Fit Finder at jagwire.com for the most up-to-date list of compatible models
- Semi-metallic, E-Bike and Sintered compounds should not be used with rotors marked for "use with resin pads only"

Shimano®

| | Part Number | Brake Model | | Description | Color | Compound |
|----|-------------|--|------|----------------------------------|-------|---------------|
| ew | DCA804 | Dura Ace R9170; Ultegra R8070; GRX RX810 | | Elite Cooling Disc Brake Pads | Black | Semi-Metallic |
| ew | DCA805 | XTR M9120; Deore XT M8120; SLX M7120 | | Elite Cooling Disc Brake Pads | Black | Semi-Metallic |
| | DCA885 | XTR M9020, M9000, M987, M985; Deore XT M8100, M8000, M785; SLX M7100, M7000, M675, M666; Deore M6000, M615; Alfine S700; Road/CX RS785, R785 | e se | Elite Cooling Disc Brake Pads | Black | Semi-Metallic |

SRAM®


| | Part Number | Brake Model | | Description | Color | Compound |
|-----|-------------|--|----|----------------------------------|-------|---------------|
| new | DCA809 | Code RSC (A1), Code R (B1) | XX | Elite Cooling Disc Brake Pads | Black | Semi-Metallic |
| new | DCA898A | G2 Ultimate, G2 RSC, G2 RS, G2 R | | Elite Cooling Disc Brake Pads | Black | Semi-Metallic |
| | DCA898 | Guide Ultimate, Guide RSC (B1), Guide RS (B1), Guide R (B1) | | Elite Cooling Disc Brake Pads | Black | Semi-Metallic |





Semi-Metallic Compound

This semi-metallic friction compound combines the best aspects of organic and sintered disc brake pads. It provides better modulation and less noise than sintered metallic compounds, but with increased durability and wet weather performance than organic pads.



Thermal Transfer Plate

Graphene is used as a thermal conductor to pull heat away from the rotor and into the cooling fins. Transferring the heat away from the rotor and pad surface helps prevent brake fade and warped rotors.



Aluminum Cooling Fins

Cooling fins extend above the caliper to dissipate heat from the brake system. The lightweight aluminum fins have top and side cutouts which utilize the airflow to maximize convective cooling.

Disc Brake Pads

- Use the Fit Finder at jagwire.com for the most up-to-date list of compatible models
- Semi-metallic and sintered compounds should not be used with rotors marked for use with resin pads only

Formula[®]




Hayes®

| Brake Model | Sport Organic | Sport Semi-Metallic | Pro Semi-Metallic | Pro Extreme Sintered | Pro E-Bike |
|--|---------------|---------------------|-------------------|----------------------|------------|
| Stroker Trail, Stroker Carbon, Stroker Gram | - | DCA073 | - | _ | <u>-</u> |
| Dyno, Stroker Ryde | _ | DCA076 | _ | _ | - |
| HFX-Mag, HFX-9, MX1 | _ | DCA001 | _ | _ | |
| Sole, MX2, MX3, MX4, MX5, CX5 | _ | DCA052 | _ | _ | _ |

Magura[®]

| Brake Model | Sport Organic | Sport Semi-Metallic | Pro Semi-Metallic | Pro Extreme Sintered | Pro E-Bike |
|--|---------------|---------------------|-------------------|----------------------|------------|
| MT8 SL, MT8 Pro, MT8, MT8 SL Flatmount, MT Trail SL (Rear), MT Trail Sport (Rear), MT6, MT4, MT4 Flatmount, MT4e, MT2, MT Sport | DCA787 | DCA087 | DCA097 | - | - |
| MT7 Pro, MT7, MT Trail SL (Front), MT Trail Sport (Front), MT5, MT5e | DCA706 | DCA006 | _ | _ | _ |

Promax



RIDEREVER®




RST[®]



Shimano®


| Brake Model | Sport Organic | Sport Semi-Metallic | Pro Semi-Metallic | Pro Extreme Sintered | Pro E-Bike |
|--|---------------------------------------|---|-------------------|----------------------|------------|
| XTR M9100; Dura Ace R9170; Ultegra R8070; 105 R7070; Tiagra 4770; GRX RX810, RX400; Road/CX RS805, RS505, RS405, RS305; Metrea U5000 | DCA704 | DCA004 | DCA102 | DCA504 | _ |
| XTR M9120; Saint M820, M810; Deore XT M8120, M8020; SLX M7120; ZEE M640; Non-Series MT520, MT420 | DCA705 BWD705 (box of 25 pairs) | DCA005 BWD2005 (box fof 25 pairs) | - | DCA505 | DCAB05 |
| Deore LX T675, Deore T615, M525, M515, M515-LA, Alivio M4050, Acera M3050, Nexave C601, C501, Tourney TX805, Non-Series MT500, MT400, MT200, M575, M486, M485, M475, M465, M447, M446, M445, M416, M416A, M415, M395, M375, M365, M355, M315, UR300 | DCA716 BWD716 (box of 25 pairs) | DCA016 BWD2001 (box fof 25 pairs) | - | - | DCAB16 |
| XTR M975, M966, M965; Saint M800; Deore XT M776, M775, M765; SLX M665; Deore LX T665, M585; Hone M601; Deore M596, M595, M535; Alfine S501, S500; Non-Series T605, R505, M545 | - | DCA027 BWD2002 (box fof 25 pairs) | - | - | _ |
| XTR M9020, M9000, M987, M985; Deore XT M8100, M8000, M785; SLX M7100, M7000, M675, M666; Deore M6000, M615; Alfine S700; Road/CX RS785, R785, CX77, CX75, R517, R515, R317, R315 | DCA785 BWD785 (box of 25 pairs) | DCA085 BWD2003 (box of 25 pairs) | DCA084 | DCA585 | DCAB85 |

SRAM® / Avid®



Tektro[®] / TRP[®]

| Brake Model | Sport Organic | Sport Semi-Metallic | Pro Semi-Metallic | Pro Extreme Sintered | Pro E-Bike |
|---|---------------------------------------|---|-------------------|----------------------|------------|
| TRP [®] Hylex Flat Mount, Hylex RS Flat Mount, HD-T910; Tektro [®] HD-R510, HD-R310 | DCA704 | DCA004 | DCA102 | DCA504 | _ |
| TRP [®] Quadiem, G-Spec Quadiem, Slate T4, G-Spec Slate, G-Spec DH, Zurich; Tektro [®] Orion 4P, Dorado 4P | DCA705 BWD705 (box of 25 pairs) | DCA005 BWD2005 (box fof 25 pairs) | - | DCA505 | new DCAB05 |
| TRP* HY/RD Post Mount, Hylex Post Mount, Hylex RS Post Mount, Parabox 2012, Slate X2, Spyre, Spyre SLC, Spyke; Tektro* Aquila, Auriga, Auriga E-Comp, Auriga E-Tune, Auriga E-Twin, Auriga Pro, Auriga Tune, Dorado HD-E715, Draco, Draco 2, Draco WS, Gemini, HD-E350, HD-M285, HD-M286, HD-T285, HDC330, Junior, MD-C510, Orion, Orion SL, Vela | DCA716 BWD716 (box of 25 pairs) | DCA016 BWD2001 (box fof 25 pairs) | _ | 7 | DCAB16 |
| TRP [°] Dash, Dash Carbon, Parabox 2011 Front | - | DCA027 BWD2002 (box fof 25 pairs) | - | - | - |
| Tektro [®] IO | - | DCA077 BWD3001 (box fof 25 pairs) | _ | - | - |
| Tektro [®] Lyra | _ | DCA078 | _ | - | _ |
| Tektro [®] Volans, Auriga Twin, Auriga SUB, Auriga E-SUB, TRP [®] Parabox 2011 Rear | <u>-</u> | DCA089 | <u>-</u> | | |



Pro All-Weather Compound



- · Superior modulation and stopping power
- Enhanced performance in wet and dry conditions

Carbon Compound



• Specifically designed for carbon fiber braking surfaces

Pro Wet Compound



- Excellent power and modulation in any condition
- Softer compound delivers superior performance in wet conditions

Power Compound



- High-performance brake compound
- High power and excellent modulation

Road Pro

- Cartridge pad holders feature cutouts for reduced weight
- Road Pro pads include replaceable Power compound inserts
- Available for either SRAM Shimano or Campagnolo Skeleton (2007+) brakes

| Part No. | | Description | Compatibility | Color | Compound | Weight |
|----------|----------|-----------------|----------------------|--------|----------|--------|
| JS491APS | | Road Pro S Lite | SRAM*/Shimano* | Silver | Power | 32.8g |
| JS495APS | F | Road Pro S Lite | SRAM*/Shimano* | Black | Power | 32.8g |
| JS402APS | الرحد | Road Pro C Lite | Campagnolo® Skeleton | Black | Power | 31.9g |

RIM BRAKE PADS

Road Pro Inserts for SRAM®/Shimano®

- Inserts use the SRAM Shimano road standard and include screws
- Power, Pro Wet, and Carbon compounds available

| | Part No. | | Description | Compatibility | Color | Compound | Weight | |
|--------------|--|----|--------------------------|---|-------------|----------|--------|--|
| IK Mature | JS453RPS - BWP1004 (box of 50 pairs) | 1 | Road Pro S Insert | SRAM®/Shimano® | Black | Power | 11.5g | |
| | JS453RW | PP | Road Pro S Wet Insert | SRAM [®] /Shimano [®] | Red | Pro Wet | 11.5g | |
| | JS453RCB | 11 | Road Pro S Carbon Insert | SRAM®/Shimano® | Indigo Blue | Carbon | 11.5g | |

Road Pro Inserts for Campagnolo

- Inserts offered for both Campagnolo® friction fit or click fit cartridges
- Power, Pro Wet, and Carbon compounds available

| Part No. | Description | Compatibility | Color | Compound | Weight |
|----------|-----------------------------------|-------------------------------------|-------|----------|--------|
| JS459RPS | Road Pro C Insert Friction Fit | Campagnolo® Skeleton & non-Skeleton | Black | Power | 11.4g |
| JS403RPS | Road Pro C Insert Click Fit | Campagnolo®2012+ | Black | Power | 11.0g |

Road Sport

- Road Sport pads include replaceable Power compound inserts
- Available for either SRAM*/Shimano* or non-Skeleton (2000+) Campagnolo* brakes

| Part No. | Description | Compatibility | Color | Compound | Weight |
|----------|--------------|---|--------|----------|--------|
| JS431APS | Road Sport S | SRAM*/Shimano* | Silver | Power | 35.1g |
| JS433APS | Road Sport S | SRAM [®] /Shimano [®] | Black | Power | 35.1g |
| JS475APS | Road Sport C | Campagnolo® non-Skeleton | Black | Power | 43.9g |

RIM BRAKE PADS

Cross Pro

- Cross Pro pads combine road and mountain brake pad designs
- Perfect for road and cyclocross bikes using cantilever or linear pull brakes
- Replaceable inserts use the SRAM® / Shimano® road standard

| Part No. | | Description | Compatibility | Color | Compound | Weight |
|----------|----------|-------------|---------------|--------|----------|--------|
| JS501WPS | | Cross Pro | Threaded Post | Silver | Power | 47.9g |
| JS503WPS | الله معن | Cross Pro | Threaded Post | Black | Power | 47.9g |

Mountain Pro

- Mountain Pro brake pads feature replaceable Pro All-Weather inserts
- Dimpled braking surface reduces noise
- Available with threaded or smooth post hardware

| Part No. | | Description | Color | Compound | Weight |
|----------|-----|--------------------|--------|----------|--------|
| JS91AC | | Mountain Pro | Black | Pro Aw | 54.8g |
| JS91BC | Ph. | Mountain Pro | Silver | Pro Aw | 54.8g |
| JS919V | 71 | Mountain Pro Canti | Black | Pro Aw | 37.3g |

Mountain Pro Inserts

- Inserts use the SRAM Shimano mountain standard and include pins
- Dimpled braking surface reduces noise

| Part No. | Description | Color | Compound | Weight |
|----------|-------------------------|-------|----------|--------|
| JS91DR | Mountain Pro Insert | Black | Pro Aw | 10.2g |
| JS91DRW | Mountain Pro Wet Insert | Red | Pro Wet | 10.2g |

RIM BRAKE PADS

Mountain Sport

- Durable all-weather compound
 Bulk options available with either 50 pairs (black) or 25 pairs (colors)
 Offered with threaded or smooth post hardware

| | Part No. | Description | Mounting | Color | Compound | Weight |
|-------------------|-------------------------------------|-------------------------------|---------------|--------|----------|--------|
| Bulk Available | JS908T BWP5005 (box of 50 pairs) | Mountain Sport | Threaded Post | Black | Sport Aw | 58.5g |
| Bulk Available | JS908T-Y BWP5006 (box of 25 pairs) | Mountain Sport | Threaded Post | Yellow | Sport Aw | 58.5g |
| Bulk Available | JS908T-R BWP5008 (box of 25 pairs) | Mountain Sport | Threaded Post | Red | Sport Aw | 58.5g |
| Bulk Available | JS908T-P BWP5009 (box of 25 pairs) | Mountain Sport | Threaded Post | Pink | Sport Aw | 58.5g |
| Bulk Available | JS908T-B BWP5010 (box of 25 pairs) | Mountain Sport | Threaded Post | Blue | Sport Aw | 58.5g |
| Bulk Avadable | JS908T-G BWP5011 (box of 25 pairs) | Mountain Sport | Threaded Post | Gray | Sport Aw | 58.5g |
| | JS908H | Mountain Sport Canti | Post | Black | Sport Aw | 58.4g |
| Bulk Available | JS909H BWP3001 (box of 50 pairs) | Mountain Sport Canti, 70mm | Post | Black | Sport Aw | 58.4g |
| | JS910H | Mountain Sport Canti, 53mm | Post | Black | Sport Aw | 47.6g |
| | | | | | | |



Bar Tape /

Jagwire Bar Tape matches style with superb comfort and control. Developed to complement our cable kits, Jagwire tape cushions handlebar vibrations and provides exceptional grip when riding with or without gloves. Offered in both Pro and Sport varieties, Jagwire adds style and is easy to clean.

What's Important

- Includes lever strips, bar end plugs, and finishing tape
- Features a superior grip for use in all conditions
- Lightweight, multi-layer construction for comfort, grip, and durability
- Pro Bar Tape features a lightweight construction with tacky grip and locking bar end plugs, while Sport Bar tape uses shock-absorbing EVA construction and press-in bar end plugs



Pro Bar Tape

- 3.0mm thick, 3-layer construction is lightweight, cushioned, and breathable
- Tacky grip provides excellent control
- 2160mm length is enough to wrap most drop handlebars
- Includes screw-type locking bar end plugs

| Tape Construction: | 3-Layer PU/Fabric/Foam |
|--------------------|------------------------|
| Grip: | Tacky |
| Tape Thickness: | 3.0mm |
| Tape Length: | 2160mm per roll |
| Weight: | 84g with plugs |
| Tape Length: | 2160mm per roll |











BRT000



White



BRT002



Organic

Green





BRT004 BRT005
Orange Bianchi®
Celeste



Sport Bar Tape

- EVA construction with silicone grip
- 2.5mm thick shock-proof comfort grip for all-day rides
- 2000mm length with adhesive backing
- Includes press-in bar end plugs

| Tape Construction: | EVA with Silicone |
|--------------------|-------------------|
| Grip: | Comfort |
| Tape Thickness: | 2.5mm |
| Tape Length: | 2000mm per roll |
| Weight: | 95g with plugs |







ACCESSORY

Locking Bar End Plug

- Screw-type locking bar end plugs safely and securely finish the end of the handlebar
- Fits handlebars with 18-23mm inner diameter
- Sold as a pair
- Weight: 20g per pair



BRA001 Black






Elite Bleed Kit

- Premium syringes offer enhanced clarity, improved durability, and ergonomic handles
- Innovative 1/4 turn valves make it easy to quickly open and close the bleed system
- Straight and 90-degree clips keep the syringe upright to lend an extra hand to the technician
- Includes bleed blocks for most popular 2-piston and 4-piston brake calipers
- Available separately for DOT fluid and mineral oil systems, each kit contains adapters for nearly all disc brake systems on the market
- Deluxe case keeps small parts organized and protected





Elite Bleed Kit Parts

Replacement small parts for Jagwire Elite Bleed Kits.


Part No. Description Elite DOT Bleed Kit Adapter with Valve • 2x universal adapters for Elite Bleed Kits with 1/4 turn valves WST054 Black seals for DOT fluid • 1 set per pack Elite Mineral Oil Bleed Kit Adapter with Valve • 2x universal adapters for Elite Bleed Kits with 1/4 turn valves WST055 • Red seals for mineral oil • 1 set per pack Elite DOT Bleed Kit Replacement Syringes • Ergonomic handles and high-quality construction **WST056** • Black seals for DOT fluid • 2 syringes per pack Elite Mineral Oil Bleed Kit Replacement Syringes • Ergonomic handles and high-quality construction WST057 • Red seals for mineral oil • 2 syringes per pack Elite DOT Bleed Kit Replacement O-Rings • Elite DOT Bleed Kit replacement seals **WST058** Black seals for DOT Fluid • 5 sets per pack Elite Mineral Bleed Kit Replacement O-Rings • Elite Mineral Oil Bleed Kit replacement seals WST059 • Red seals for mineral oil • 5 sets per pack Elite Bleed Kit Syringe Holders • 2x metal clips to hold Elite Bleed Kit syringes upright or at 90-degrees **WST060** · Compatible with both DOT and mineral oil kits 1 set per pack Elite DOT Bleed Kit Replacement Fittings • Elite DOT Bleed Kit replacement fittings for SRAM® Bleeding Edge, Formula®, Hayes®, and Hope® WST061 • Black seals for DOT fluid One set of 5 fittings Elite Mineral Oil Bleed Kit Replacement Fittings • Elite Mineral Oil Bleed Kit replacement fittings for Shimano, Tektro, and Magura WST062 • Red seals for mineral oil • One set of 9 fittings plus tool **Bleed Blocks WST063** • 3x replacement bleed blocks

• Compatible with most 2-piston and 4-piston hydraulic disc brakes

TOOLS

Pro Bleed Kit

Bleed kits with enough compatibility options for almost any job in the shop!



Pro Bleed Kit Parts

Replacement small parts for Jagwire bleed kits.

Part No. Description **Pro DOT Bleed Kit Replacement Parts** • 2x universal adapter for Pro DOT Bleed Kits with squeeze valves **WST038** • 2x replacement hose for universal adapter Black seals for DOT fluid **DOT Bleed Kit Replacement Fittings** • DOT bleed kit replacement fittings for SRAM® Bleeding Edge, Formula®, Hayes®, and Hope® WST040 • Black seals for DOT fluid • One set of 5 fittings Pro DOT Bleed Kit Replacement O-Rings • DOT bleed kit replacement seals WST042 • Black seals for DOT fluid • 5 sets per pack **Pro Mineral Bleed Kit Replacement Parts** • 2x universal adapter for Pro Mineral Oil Bleed Kits with squeeze valves WST039 • 2x replacement hose for universal adapter • Red seals for mineral oil Mineral Bleed Kit Replacement Fittings Mineral oil bleed kit replacement fittings for Shimano[®], Tektro[®], and Magura[®] **WST041** • Red seals for mineral oil • One set of 8 fittings **Pro Mineral Bleed Kit Replacement O-Rings** • Mineral oil bleed kit replacement seals WST043 • Red seals for mineral oil • 5 sets per pack **Bleed Kit Replacement Hose WST046** 10x replacement hose for bleed kit universal adapter • Compatible with DOT fluid and mineral oil

TOOLS

new

Elite Hydraulic Hose Cutter


A neatly cut hydraulic hose is just as important for the home mechanic as it is for the pros. The hand-held design of our hose cutters makes it possible to cleanly prepare hoses anywhere in the workshop.

WST064

Elite Hydraulic Hose Cutter

Innovative design provides extra leverage for smooth, clean cuts
Ergonomic handles ensure comfortable operation for all-day use in professional workshops
Premium aluminum construction
Cutting slot is shaped to secure the hose and ensure a perpendicular cut
Replaceable cutting blades

Elite Hydraulic Hose Cutter Construction



Pro Hydraulic Hose Cutter

| Part No. | Description |
|----------|---|
| WST033 | Pro Hydraulic Hose Cutter • Sturdy aluminum body resists flexing, ensuring years of reliable use • Cutting slot is shaped to secure the hose and ensure a perpendicular cut • Replaceable cutting blades |

Sport Hydraulic Hose Cutter

| Part No. | Description |
|----------|--|
| | |
| | Sport Hydraulic Hose Cutter |
| WST025 | Cutting slot is shaped to secure the hose and ensure a perpendicular cut |
| WS1023 | Replaceable cutting blades |
| | Plastic body construction |

Hydraulic Hose Cutter Parts

| Part No. | Description |
|----------|---|
| | |
| | Replacement Blades |
| WST027 | Replacement blades for all Jagwire hydraulic hose cutters |
| | • Includes 5 blades |

Pro Needle Driver[™]

Installing hydraulic hose fittings shouldn't be done using a hammer. The Jagwire Pro and Sport Needle Drivers ensure proper alignment of the needle fitting, making installation quick and easy.

Pro Needle Driver

• Quickly installs needle inserts with a squeeze of the handle


• 2-way clamp fits 5.0 and 5.5mm hydraulic hose and features adjustable tension

• Needle Starter pin to quickly and confidently set needle insert into hose

• Tertured handle grip for comfortable operation

• For use with unthreaded needle inserts

Pro Needle Driver Construction




Sport Needle Driver[™]

| Part No. | Description |
|--|---|
| ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | |
| | Sport Needle Driver |
| WST026 | Screw to install needle fittings flush with the cut end of hydraulic hose |
| W31026 | Includes double-ended bits for standard needles as well as T8 and T10 Torx fittings |
| | Features adjustable clamp tension to ensure the hydraulic hose is secured |
| | |
| | Double-Ended Replacement Pin, Standard & T10 Torx |
| WST045 | Double-Ended Replacement Pin |
| | Standard and T10 Torx |
| | |
| | Double-Ended Replacement Pin, Standard & T8 Torx |
| WST051 | Double-Ended Replacement Pin |
| | Standard and T8 Torx |
| | |

TOOLS

Pro Internal Routing Tool

Jagwire's Pro Internal Routing Tool simplifies routing through a frame, using powerful magnets to safely and easily guide inner cables, housing, hydraulic hose, and e-shift wires.




Pro Internal Routing Tool Construction




Pro Cable Crimper and Cutter

Jagwire's Pro Cable Crimper and Cutter makes it easy to trim a cable and then perfectly crimp a cable tip every time.



Pro Housing Cutter


The Pro Housing Cutter's adjustable-size grip is comfortable for all hand sizes and an integrated awl helps clear the way for smooth cable operation.



TOOLS

Disc Brake Multi-Tool®

The Disc Brake Multi-Tool® is four frequently used disc brake tools in one: pad spacer, bleed block, rotor truing fork, and pad spreader.



Brake Pad Tuner®

The Brake Pad Tuner® makes installing rim brake pads a breeze.

| Part No. | Description |
|----------|--|
| | Brake Pad Tuner |
| WST029 | Use to set pad position and toe-in on rim brake pads |
| | Works with road or mountain rim brake pads |
| | |

Pad Press Plus®

Replacing brake pad inserts can be a challenge. The Pad Press Plus® makes removing and installing brake pad inserts simple and easy.





Cable Tips

Shift

Part No. Description • 1.2mm cables and smaller Alloy • Dispenser bottle of 500 BOT117-A Silver BOT117-AB Black BOT117-AO

Brake or Shift





BOT117-C Silver



BOT117-C06 Red



BOT117-C7 Black

BOT117-C08 Blue




BOT117-C61 Cash Green



- Alloy
- Dispenser bottle of 500

Combo Packs






END CAP GUIDE

End caps may seem like a small detail, but they can have a big impact on how well a bike performs. Jagwire offers a wide range of end caps for riders needing the lowest possible friction, protection against the elements, or unique solutions for their bike.

HOODED

Hooded end caps are the ultimate solution for preventing water, dirt and debris from entering the housing. A high-quality rubber seal provides an extra layer of protection keeping contaminants out and maintaining optimal cable performance. These are best used in the dirtiest spots on the bike, like the rear derailleur.


WHEN TO USE: Install hooded end caps on areas of the bike that need the most protection from dirt and debris such as the rear derailleur.



SEALED

Sealed end caps are an excellent choice for shift systems when you're looking to balance low friction performance with protection against contaminants. A lower friction option than a hooded end cap, sealed end caps have an internal rubber o-ring to help keep the housing clean and dry.


WHEN TO USE: Install sealed end caps when you want protection from dirt and debris, but also want to keep friction to a minimum in areas like frame stops.



LINED

Lined end caps have an internal sleeve that extends out from the end. This liner protects the inner cable from the opening in the end cap, preventing cable coatings from wearing off and ensuring the lowest possible friction. Lined end caps can also be paired with a sealing liner or a dirt guard to keep dirt and grime out of the housing.


WHEN TO USE: Use lined end caps whenever you use Teflon®-coated cables to protect the coating.



OPEN

Open end caps deliver low friction performance and are less expensive, but do little to protect the system from contaminates. Great for use on bikes with uncoated cables in areas with a lower chance of contamination from water or dirt, they are available in multiple sizes, materials and colors.


WHEN TO USE: Use open end caps when little protection from dirt is needed in areas such as levers.



POP

POP (Point Of Power) end caps are designed specifically for use with 5mm compressionless brake housing. This type of housing requires an end cap, but not all frames and brake calipers are built to accept a standard-size end cap. POP end caps act as a reducer, allowing compressionless housing to be used in these situations.

WHEN TO USE: If you're upgrading to compressionless housing POP end caps are needed with some brakes that aren't built for end caps.



ANTI-KINK

Jagwire anti-kink end caps are made with a flexible tip to eliminate kinks or cracks in the housing where there are tight bends or repeated motion. These are perfect for use with folding bikes, suspension lockouts, dropper seatposts, and handcycles.

WHEN TO USE: Use anti-kink end caps on any area of the bike where shift or brake housing has extreme or tight bends.





Open End Caps for Shift Housing

| Part No. | Material | Size | Compatibility | Outside Dia. | Color | Qty | Package |
|------------|----------|-------|---------------|--------------|-------|-----|---------|
| BOT192-2BJ | Alloy | 4.0mm | Shift Housing | 5.7mm | Black | 50 | Bottle |
| BOT115-4H | Brass | 4.0mm | Shift Housing | 5.0mm | Black | 50 | Bottle |
| BOT115-4F | Plastic | 4.0mm | Shift Housing | 5.7mm | Black | 100 | Bottle |
| CHA150 | Plastic | 4.0mm | Shift Housing | 5.7mm | Black | 500 | Bag |

Open End Caps for Brake Housing

| Part No. | Material | Size | Compatibility | Outside Dia. | Color | Qty | Package |
|-----------|-------------------------------|-------|---------------------------------|------------------|------------------|------|---------|
| BOT192-BJ | Alloy | 5.0mm | Brake Housing | 6.0mm | Black | 50 | Bottle |
| BOT115-2D | Brass (Crimp to secure) | 5.0mm | Coiled Steel Brake Housing | 5.7mm | Chrome Plated | 200 | Bottle |
| CHA151 | Brass (Crimp to secure) | 5.0mm | Coiled Steel Brake Housing | 5.7mm | Chrome Plated | 1000 | Bag |
| BOT115-3 | Brass | 5.0mm | Brake Housing | 5.7mm | Chrome Plated | 200 | Bottle |
| BOT115-6 | Chrome Plated Brass | 5.0mm | Reducer for 4mm Housing Stop | 5.7mm / 4.0mm | Chrome Plated | 100 | Bottle |

END CAPS

Sealed End Caps for Shift Housing

| Part No. | | Material | Size | Compatibility | Outside Dia. | Color | Qty | Package |
|----------|---|----------|-------|-----------------------|--------------|-------|-----|---------|
| вото57вЈ | ľ | Alloy | 4.0mm | Shift Housing | 5.7mm | Black | 50 | Bottle |
| вотоот | | Plastic | 4.0mm | Shift Housing | 5.7mm | Black | 100 | Bottle |
| BOT112BJ | ľ | Alloy | 4.5mm | Braided Shift Housing | 5.7mm | Black | 50 | Bottle |

Lined End Caps

| Part No. | Material | Size | Compatibility | Outside Dia. | Color | Qty | Package |
|----------|----------|-------|-----------------------|--------------|-------|-----|---------|
| вот723ВЈ | Alloy | 4.0mm | Shift Housing | 5.7mm | Black | 50 | Bottle |
| BOT258BJ | Alloy | 4.5mm | Braided Shift Housing | 5.7mm | Black | 50 | Bottle |
| BOT060BJ | Alloy | 5.0mm | Brake Housing | 6.0mm | Black | 50 | Bottle |

Hooded End Caps

| Part No. | Material | Size | Compatibility | Outside Dia. | Color | Qty | Package |
|-----------|----------|-------|-----------------------|--------------|-------|-----|---------|
| BOT260-BJ | Alloy | 4.0mm | Shift Housing | 5.7mm | Black | 30 | Bottle |
| BOT271-BJ | Alloy | 4.5mm | Braided Shift Housing | 5.7mm | Black | 30 | Bottle |
| BOT269-BJ | Alloy | 5.0mm | Brake Housing | 6.0mm | Black | 30 | Bottle |

Anti-Kink End Caps

| Part No. | Material | Size | Compatibility | Outside Dia. | Color | Qty | Package |
|----------|----------|-------|-----------------------|--------------|-------|-----|---------|
| ВОТ976 | Plastic | 4.0mm | Shift Housing | 5.7mm | Black | 30 | Bottle |
| ВОТ977 | Plastic | 4.5mm | Braided Shift Housing | 5.7mm | Black | 30 | Bottle |
| ВОТ978 | Plastic | 5.0mm | Brake Housing | 6.0mm | Black | 30 | Bottle |

End Cap Combo Kit

- Contains 16x 5mm open end caps, 16x 4mm open end caps, and 16x cable tips in each of three colors
- · Refill packs available separately for each color



POP End Caps

| Part No. | Material | Size | Compatibility | Outside Dia. | Color | Qty | Package |
|----------|----------|-------|-------------------------------------|------------------|-------|-----|---------|
| CHA089 | Alloy | 5.0mm | Kevlar® Reinforced Brake Housing | 6.0mm / 5.0mm | Black | 20 | Bag |

Housing Connectors

| Part No. | | Color | Description | Compatibility | Material | Qty | Package |
|----------|----|--------|--------------------------------|---------------------|----------|-----|---------|
| CHA062 | H | Silver | Double-Ended Housing Connector | 4.0mm Shift Housing | Alloy | 10 | Bag |
| CHA067 | 11 | Silver | Double-Ended Housing Connector | 4.5mm Shift Housing | Alloy | 10 | Bag |
| CHA061 | 11 | Silver | Double-Ended Housing Connector | 5.0mm Brake Housing | Alloy | 10 | Bag |

EZ-Bend Housing Segment

- For use with KEB-SL housing on bikes with road/drop handlebars
- Short, flexible sections of housing allow the housing to tuck neatly next to the handlebar, under the bar tape
- Since compressionless brake housing requires the use of end caps, this allows its use with brake levers that do not accommodate end caps

| Part No. | Description | Compatibility | Outside Dia. | Length | Qty | Package |
|----------|-----------------------------|---|--------------|--------|-----|---------|
| CHA146 | EZ-Bend Housing Segments | Kevlar [®] Reinforced Brake Housing | 5.0mm | 157mm | 6 | Bag |

Shift Housing Accessory

- Flexible shift housing for use with Shimano Shadow type road rear derailleurs, such as RD-R9100, RD-R8000, and RD-R7000
- 4mm low-compression CGX-SL housing construction
- Includes 10x sealed end caps and 10x 4mm/4mm housing connectors

| Part No. | | Color | Description | Compatibility | Outside Dia. | Length | Qty | Package |
|----------|---------|-------|------------------------------------|---------------------------------------|--------------|--------|-----|---------|
| CHA152 | numin . | Black | Flexible Shift Housing Segments | Shimano® Shadow road rear derailleurs | 4mm | 240mm | 10 | Bag |



Pro Mini Indexed Inline Adjusters

- Indexed adjusters feature detents to provide positive engagement and resist loosening
- · Compact design improves performance when used on curved housing segments
- Fits 4.0mm shift housing with no end caps
- · Not recommended for use with brake systems

| Part No. | | Description | Compatibility | Color | Material | Qty |
|----------|----|--|---------------------|-------|----------|-----|
| BSA062 | 00 | Pro Mini Inline Index/Detent Adjusters | 4.0mm Shift Housing | Black | Alloy | 2 |

Pro Indexed Inline Adjuster for Braided Shift Housing

- Indexed adjusters feature detents to provide positive engagement and resist loosening
- Fits 4.5mm shift housing with no end caps
- · Not recommended for use with brake systems

| Part No. | Description | Compatibility | Color | Material | Qty |
|----------|-------------------------------|---------------------|-------|----------|-----|
| BSA057 | Inline Index/Detent Adjusters | 4.5mm Shift Housing | Black | Alloy | 2 |

Pro Brake Indexed Inline Adjuster

- · Indexed adjustment with detent mechanism designed for use with brake systems
- Fits 5.0mm housing with no end cap
- · Perfect for road and cyclocross bikes with mechanical disc brakes

| Part No. | | Description | Compatibility | Color | Material | Qty |
|----------|----|--|------------------------------|-------|----------|-----|
| BSA058 | 11 | Inline Index/Detent Adjuster for Brake Housing | 5.0mm Brake or Shift Housing | Black | Alloy | 2 |

Sport Inline Adjusters

- Includes two 50mm lengths of 4mm shift housing with end caps
- Not recommended for use with brake systems

| Part No. | Description | Compatibility | Color | Material | Qty |
|----------|-----------------------|------------------------------|------------------------|----------|-----|
| CHA035 | Mini Inline Adjusters | 4.0mm or 4.5mm Shift Housing | Titanium | Alloy | 2 |
| BSA036 | Mini Inline Adjusters | 4.0mm or 4.5mm Shift Housing | Rubber-coated Black | Alloy | 2 |

Sport Indexed Inline Adjusters

- Indexed shifter adjustment
- Includes two 50mm lengths of 4mm shift housing with end caps
- Not recommended for use with brake systems

| Part No. | Description | Compatibility | Color | Material | Qty |
|----------|-------------------------------------|------------------------------|-------|----------|-----|
| BSA044 | J2 Inline Index/Detent Adjusters | 4.0mm or 4.5mm Shift Housing | Black | Alloy | 2 |

Sport Direct Adjusters

- For use with Shimano STI levers with external shift housing routing
- Indexed shifter adjustment
- Rubber-coated adjusting barrel for firm grip

| Part No. | Description | Compatibility | Color | Material | Qty |
|----------|---------------------|------------------------------|------------------------|----------|-----|
| BSA035 | Rocket II Adjusters | 4.0mm or 4.5mm Shift Housing | Rubber-coated Black | Alloy | 2 |

Sport Frame Mount Adjusters

| Part No. | | Description | Color | Material | Qty |
|----------|----|--|---------------------|----------|-----|
| BSR233 | | Mickey Adjusting Barrels (Campagnolo® Compatible) | Chrome Plated | Steel | 2 |
| BSA016 | | Mickey Adjusting Barrels (Campagnolo® Compatible) | Chrome Plated | Steel | 10 |
| BSA028 | 96 | Index Adjusting Barrel (M5) | Rubber-coated Black | Alloy | 2 |
| BSA048 | På | Index Adjusting Barrel (M5) | Rubber-coated Black | Alloy | 10 |
| BSA039 | 75 | Index Adjusting Barrel (M5) | Rubber-coated White | Alloy | 2 |

Adjusting Barrels

| Part No. | | Description | Color | Material | Qty |
|----------|----|---|--------------|-------------|-----|
| BSA004 | | M7 Adjusting Barrel (Fits Older Brake Levers) | Silver | Alloy | 10 |
| BSA008 | BB | M10 Adjusting Barrel (Fits Older Brake Levers) | Silver/Black | Alloy | 10 |
| BSA012 | 38 | M6 Adjusting Bolt | Silver | Alloy/Steel | 25 |



Stick-On Guides

• Adhesive backed housing/hose guides attach firmly to the frame

| Part No. | | Color | Description | Compatibility | Material | Qty | Package |
|----------|-----|--------|----------------------------|---------------|----------|-----|---------|
| DCA053 | 3 3 | Silver | Alloy Stick-On Cable Guide | 4.0–5.5mm | Alloy | 4 | Blister |
| DCA060 | 1 4 | Silver | Alloy Stick-On Cable Guide | 4.0–5.5mm | Alloy | 50 | Bag |
| DCA056 | •• | Black | Alloy Stick-On Cable Guide | 4.0–5.5mm | Alloy | 4 | Blister |
| DCA061 | | Black | Alloy Stick-On Cable Guide | 4.0–5.5mm | Alloy | 50 | Bag |

C-Clips

• Clip continuous housing to the frame-mounted guides without using a zip-tie

| Part No. | Color | Description | Material | Qty | Package |
|----------|-------|---------------|----------|-----|---------|
| DCA054 | Black | Housing Guide | Plastic | 4 | Blister |
| DCA055 | Black | Housing Guide | Plastic | 50 | Bag |

Rotating Hooks

• Rotating S-hooks securely hold housing segments together and prevent undue noise and migration

| Part No. | Color | Description | Material | Qty | Package |
|----------|-------|--|----------|-----|---------|
| CHA046 | Black | Rotating Hook Size: 5.0~5.5mm + 5.0~5.5mm | Plastic | 4 | Blister |
| CHA088 | Black | Rotating Hook Size: 5.0~5.5mm + 5.0~5.5mm | Plastic | 20 | Bag |
| CHA093 | White | Rotating Hook Size: 5.0~5.5mm + 5.0~5.5mm | Plastic | 4 | Blister |
| CHA122 | Black | Rotating Hook, E-Shift + Brake Size: 2.6~2.8mm + 5.0~5.5mm | Plastic | 4 | Blister |

Wire Hooks

Keep housing, hose, and electronic wires tidy with Jagwire Wire Hooks

| | Part No. | Color | Description | Material | Qty | Package |
|-----|----------|-------|--|----------|-----|---------|
| | CHA030 | Black | Wire Hook E-Shift + Brake Size: 2.5mm E-Shift + 5.0mm Brake | Nylon | 4 | Blister |
| new | CHA167 | Black | Wire Hook Shift + Brake Size: 4.0mm Shift + 5.0mm Brake | Nylon | 4 | Blister |
| new | CHA168 | Black | Wire Hook Shift + E-Bike Control Size: 4.0mm Shift + 4.0mm E-Bike Wire | Nylon | 4 | Blister |

Cable Grips

• Cable grips allow for the use of continuous housing runs with traditional housing stops

| Part No. | | Color | Description | Compatibility | Material | Qty | Package |
|----------|----|--------|-----------------------|------------------------------|-----------------|-----|---------|
| DCA008 | 44 | Black | Cable Grip | 5.0mm Housing or Hose | Alloy | 2 | Blister |
| DCA010 | | Silver | Adjustable Cable Grip | Shift, Brake Housing or Hose | Stainless Steel | 2 | Blister |

Stoppers & Loop Guides

• Fittings for open loop housing/hose guides on a frame, either to reduce diameter or to convert to a traditional housing stop

| Part No. | Color | Description | Compatibility | Material | Qty | Package |
|----------|--------|--------------------------------------|--------------------------------|----------|-----|---------|
| CHA056 | Black | Cable Guide Stopper | 5.0mm Housing | Alloy | 10 | Bag |
| DCA072 | Black | Hose Guide for Frame Loops | 4.0 or 5.0mm Hydraulic Hose | Plastic | 50 | Bag |
| CHA013 | Silver | Chrome Plated Cable Guide Stopper | 5.0mm Brake Housing | Brass | 50 | Bag |

Internal Housing Damper

Many frames use internal cable routing for a tidy appearance and improved aerodynamics. Sometimes this can cause unwanted rattling sounds when riding over rough surfaces. Jagwire's Internal Housing Damper slides over brake and shift housing or hydraulic hose to reduce this noise.

- 10 meter shops rolls can be cut to length to suit each bike's needs
- 1.5 meter kits for single-bike use

| Part No. | Color | Description | Compatibility | Outside Dia. | Material | Length | Package |
|----------|-------|-------------------------|---------------|--------------|----------|--------|---------|
| ZSK600 | Gray | Internal Housing Damper | 4.0–5.0mm | 10mm | Foam | 10m | Bag |
| zsk601 | Gray | Internal Housing Damper | 4.0–5.0mm | 10mm | Foam | 1.5m | Bag |

SMALL PARTS

Frame Protectors

- Covers housing to protect a frame's finish from scratches
- Mini Tube Tops slide on housing during installation
- 5G Tube Tops snap on at any time

| Part No. | | Color | Description | Compatibility | Material | Qty | Package |
|----------|---|-------------|---------------|------------------------|----------|-----|---------|
| CHA095 | • | Black | Mini Tube Top | Brake or Shift Housing | Silicon | 6 | Blister |
| CHA096 | | Black | Mini Tube Top | Brake or Shift Housing | Silicon | 50 | Bag |
| CHA097 | | Translucent | Mini Tube Top | Brake or Shift Housing | Silicon | 6 | Blister |
| CHA098 | | Translucent | Mini Tube Top | Brake or Shift Housing | Silicon | 50 | Bag |
| CHA116 | • | Red | Mini Tube Top | Brake or Shift Housing | Silicon | 6 | Blister |
| CHA112 | | Red | Mini Tube Top | Brake or Shift Housing | Silicon | 50 | Bag |
| CHA057 | | Black | 5G Tube Tops | Brake or Shift Housing | TPR | 4 | Blister |
| CHA058 | | Black | 5G Tube Tops | Brake or Shift Housing | TPR | 50 | Bag |
| CHA059 | | White | 5G Tube Tops | Brake or Shift Housing | TPR | 4 | Blister |
| CHA060 | | White | 5G Tube Tops | Brake or Shift Housing | TPR | 50 | Bag |

Cable Donuts

• Cable donuts slide over inner cables during installation to prevent contact against the frame, reducing noise and protecting the frame's finish


| Part No. | Description | Color | Qty |
|----------|---------------------|-------------|-------------------------------------|
| | | | |
| ВОТ170-В | Cable Spacer Donuts | Black | Dispenser Bottle of 600 (200 sets) |
| | | | |
| | | | |
| BOT170-C | Cable Spacer Donuts | Translucent | Dispenser Bottle of 600 (200 sets) |
| 201110-0 | Cable Spacer Donuts | Hansidoent | Dispersion Bottle of 300 (200 sets) |

SMALL PARTS

Frame Plug Combo Box

The Frame Plug Combo Box offers solutions for internally routed bicycles. Whether changing to a different shifting system or simply replacing a lost or damaged plug, this combo box has 9 common frame plugs for 8.0mm and 6.0mm round frame ports.

• Includes 10 of each frame plug



Frame Plug Refill Packs

• Each refill pack contains 10 of each frame plug

| Qty Packaç | | Material | Compatibility | Description | Color | | Part No. |
|------------|---------------------|------------------------|---|--|-------------|------------|------------------------|
| 10 Bag | | NBR | 3.0mm Shimano Di2 Angled Entry For 8.0mm Round Frame Port | Frame Plug Refill Pack | Black | • | CHA158 |
| 10 Bag | | NBR | 4mm Housing Angled Entry For 8.0mm Round Frame Port | Frame Plug Refill Pack | Black | | CHA159 |
| 10 Bag | | NBR | 5mm Housing/Hose Angled Entry For 8.0mm Round Frame Port | Frame Plug Refill Pack | Black | | CHA160 |
| 10 Bag | | NBR | 2.5mm Shimano Di2 Angled Entry For 8.0mm Round Frame Port | Frame Plug Refill Pack | Black | 0 | CHA161 |
| 10 Bag | | EPDM | Closed Type For 8.0mm Round Frame Port | Frame Plug Refill Pack | Black | 00 | CHA162 |
| 10 Bag | | EPDM | Fits 3.0mm Shimano Di2 Straight Entry For 8.0mm Round Frame Port | Frame Plug Refill Pack | Black | 9 | CHA163 |
| 10 Bag | | EPDM | 4mm Housing Straight Entry For 8.0mm Round Frame Port | Frame Plug Refill Pack | Black | 0 | CHA164 |
| 10 Bag | ı | Silicone Gel | Closed Type For 5.7-6.0mm Round Frame Port | Frame Plug Refill Pack | Black | (1) | CHA165 |
| 10 Bag | el. | Silicone Gel | Closed Type For 6.0-6.3mm Round Frame Port | Frame Plug Refill Pack | Black | (333- | CHA166 |
| 1 1 | | EPDM EPDM Silicone Gel | For 8.0mm Round Frame Port Fits 3.0mm Shimano Di2 Straight Entry For 8.0mm Round Frame Port 4mm Housing Straight Entry For 8.0mm Round Frame Port Closed Type For 5.7-6.0mm Round Frame Port | Frame Plug Refill Pack Frame Plug Refill Pack Frame Plug Refill Pack | Black Black | | CHA163 CHA164 CHA165 |

SMALL PARTS

Straddle Cables & Carriers

• Straddle cables and carriers are available in different designs to make cabling a cantilever brake easy

| Part No. | Color | Description | Material | Qty | Package |
|----------|--------|---|------------------|-----|---------|
| CC102 | Silver | Double-End Straddle Cable, 1.8 x 380mm | Galvanized Steel | 10 | Bag |
| CC103-3 | Silver | EZ Handle Single End Straddle Wire, 1.8 x 330mm | Galvanized Steel | 10 | Bag |
| BSA011 | Silver | Straddle Cable Carrier | Galvanized Steel | 10 | Bag |
| BSA040 | Black | Alloy Straddle Cable Carrier with Liner | Alloy | 2 | Blister |

V-Brake Noodles & Boots

• Linear pull brake noodles come in a variety of configurations designed to be compatible with any housing approach angle

| Part No. | | Color | Description | Compatibility | Material | Qty | Package |
|----------|----------|--------------|--------------------------|--|-------------------------|-----|---------|
| BSA030 | <i>-</i> | Silver | 90° Brake Noodle | V-Style Brakes | Stainless/Alloy End Cap | 10 | Bag |
| BSA033 | | Silver | 83° Brake Noodle | V-Style Brakes | Stainless/Alloy End Cap | 10 | Bag |
| BSA031 | | Silver | 135° Brake Noodle | V-Style Brakes | Stainless/Alloy End Cap | 10 | Bag |
| BSA032 | | Silver/Black | 90° Brake Noodle | V-Style Brakes with Kevlar®- reinforced housing | Stainless/Alloy End Cap | 10 | Bag |
| BSA041 | 11 | Silver | Flexible Brake Noodle | V-Style Brakes | Steel /Alloy | 10 | Bag |
| BSA047 | | Black | Brake Boot | V-Style Brakes | Rubber | 10 | Bag |

Anchor Bolts

• Jagwire anchor bolts provide a solid cable clamp

| Part No. | | Color | Description | Material | Qty | Package |
|----------|--------|--------|-----------------|------------------|-----|---------|
| BSA009 | and an | Silver | 5mm Anchor Bolt | Galvanized Steel | 25 | Bag |
| BSA010 | | Silver | 6mm Anchor Bolt | Galvanized Steel | 25 | Bag |

Elite Sealed Service Parts

• Replacement liners and grub seals are available separately for our Elite Sealed Shift and Brake kits

| Part No. | | Description | Color | Qty | Package |
|----------|----|---|-------------|-----|---------|
| JSAY051 | | Slick-Lube Liner for Elite Sealed Shift Kit Length: 2300mm/pc Size: 1.4*1.9 | Transparent | 4 | Bag |
| JSAY001 | | Slick-Lube Liner for Elite Sealed Brake Kit Length: 2000mm/pc Size: 1.9*2.4 | Transparent | 4 | Bag |
| CHA149 | 11 | Grub Seals for Elite Sealed Kits | Black | 10 | Bag |

Elite Link Service Parts

• Elite Link Kit End Cap Packs include each of the specialty end caps found in the corresponding Elite Link DIY Kit

| Part No. | | Description | Color | Material | Qty | Package |
|----------|-----------|--|-------------|----------|-----------|---------|
| CHA153 | 1016 | 1x Elite Link Shift End Cap Pack | Black | Aluminum | 8 | Blister |
| CHA154 | 1015 | 2x Elite Link Shift End Cap Pack | Black | Aluminum | 18 | Blister |
| CHA155 | | Road Elite Link Brake End Cap Pack | Black | Aluminum | 12 | Blister |
| CHA156 | | Mountain Elite Link Brake End Cap Pack | Black | Aluminum | 12 | Blister |
| JSAD000 | | Slick-Lube Liner for Link Kit, Shift, and Brake Length: 2000vmm/pc Size: 1.8*2.7 | Transparent | PE | 4 | Bag |
| CHA124 | | Housing Extension for Link Kit | Black | Aluminum | 20 x 10mm | Bag |
| CHA125 | | Housing Extension for Link Kit | Silver | Aluminum | 20 x 10mm | Bag |
| CHA126 | i = b - 1 | Housing Extension for Link Kit | Gold | Aluminum | 20 x 10mm | Bag |
| CHA127 | | Housing Extension for Link Kit | Red | Aluminum | 20 x 10mm | Bag |
| CHA144 | | Housing Extension for Link Kit | Blue | Aluminum | 20 x 10mm | Bag |
| CHA169 | | Housing Extension for Link Kit | Ltd. Gray | Aluminum | 20 x 10mm | Bag |
| | | | | | | |

Slick-Lube Liner

- Replacement liner for Nokon brake and shift systems
- Reduces friction for better overall performance
- Can be used for interal frame routing
- Not for use with Jagwire Elite Link systems; see part no. JSAD000 above

| Part No. | Description | Color | Qty | Package |
|--------------------------|---|---------------------------------|-----|---------|
| JSAD0027 | Slick-Lube Liner for Nokon brake an Length: 6000mm | nd shift systems Transparent | | Bag |
| - 1711 - 1711 | Size: 2.0*2.5 | | | 7.9 |

CABLE GUIDE

Jagwire knows wire—that's why it's in our name. Friction in a shift or brake setup results in poor, sloppy performance, ruining the feel of any bike or system. That's why our wire is manufactured to the highest standards in the industry. Lubricated and pre-stretched, hundreds are pulled from production, checked and tested each week to ensure durable operation for many rugged miles.

ULTIMATE ELITE



Elite Polished Ultra-Slick Stainless Steel

Elite Ultra-Slick cables are made from pre-stretched, die-drawn stainless steel and undergo a highly intensive polishing process to remove the smallest imperfections. This creates a near mirror finish and class-leading low friction performance. Unlike other ultra-slick cables that use a fragile coating, Jagwire Elite Polished Ultra-Slick cables are long-lasting and don't require the use of a specific housing or lubricant. These cables deliver incredibly accurate, smooth movement for riders that demand the ultimate performance from their bikes.

STS-EL - pre-stretched, highly polished, ultra-slick stainless steel spiral-bound cables

BEST PRO




Pro Polished Slick Stainless Steel

Like the Elite Ultra-Slick cables, Jagwire Pro Polished Slick Stainless cables undergo additional processing to remove imperfections. While not polished to the same extent as the Elite cables, Pro Polished cables deliver many of the same benefits at a lower price. With no coating, these are highly durable and compatible with all performance housings and lubricants. Pro cables are perfect for riders looking to upgrade their high-performance bikes at a modest cost.

STS-PS - pre-stretched, polished, slick stainless steel spiral-bound cables

BETTER SPORT




Slick Galvanized or Stainless Steel

An upgrade from basic cables, these galvanized or stainless steel strands are pre-stretched and extruded through a die that removes any rough edges. The result is a smooth surface that reduces friction along the length of the cable. These cables are the most popular choice for riders balancing performance, durability and cost. The stainless steel option offers greater resistance to corrosion. Jagwire slick cables come in two types:

GAS - pre-stretched, slick galvanized steel spiral-bound cables

STS - pre-stretched, slick stainless steel spiral-bound cables

GOOD BASICS



Galvanized or Stainless Steel

These low-cost, no-nonsense shift or brake cables are made from spiral-bound stainless or galvanized steel strands. Both versions are great for repairs on entry-level bikes, but the stainless steel offers better corrosion resistance. Still manufactured to Jagwire's rigorous standards for quality, these cables provide excellent value. Jagwire Basics cables come in two types:

GAR - galvanized steel spiral-bound cables

STR - stainless steel spiral-bound cables

TECH CABLE HEADS & SURFACE TREATMENT

SHIFT CABLE ENDS BRAKE CABLE ENDS















Campagnolo⁶

SRAM®/Shimano®

Campagnolo⁶

Ultra-Slick, Uncoated Inner Wi STS-EL (polished, stainless) STS-PS (polished, stainless)

GAS (Slick-Galvanize STS (Slick-Stainless) Regular Inner Wire GAR (Galvanized Ste STR (Stainless Steel)

S



SRAM®/Shimano®

Universal Mountain







Elite Shift Inner Wire - Ultra-Slick Polished

Workshop Filebox

- Ultra-slick surface delivers precise, low friction performance critical to 11- and 12-speed drivetrains
- · There is no coating to flake off during installation or riding, making the cable more durable and ensuring long lasting performance
- · STS-EL cables are compatible with all performance housing, lubricant, and end cap combinations
- Cable ends are colored black for easy identification

Manufacturing Process:











High quality stainless steel strands are wound together in a spiral pattern to form a strong, durable cable. The cables are then pre-stretched and pulled through a die that removes the rough edges creating a smooth, slick surface.

The last stage is an additional, proprietary cleaning and nano polishing process that delivers an ultra-slick surface.

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|----------|----------|--|--------|-------------------------|-------------|-----|---------|
| 73EL2300 | 1.1mm | Elite Polished Ultra- Slick Stainless | 2300mm | SRAM®/Shimano® | 15.2g | 1 | Pancake |
| 75EL2300 | 1.1mm | Elite Polished Ultra- Slick Stainless | 2300mm | Campagnolo [®] | 15.1g | 1 | Pancake |
| 73EL3100 | 1.1mm | Elite Polished Ultra- Slick Stainless | 3100mm | SRAM®/Shimano® | 20.3g | 1 | Pancake |
| 75EL3100 | 1.1mm | Elite Polished Ultra- Slick Stainless | 3100mm | Campagnolo® | 20.4g | 1 | Pancake |

Pro Shift Inner Wire - Slick Polished

- Polished, die-extruded stainless steel
- Low friction for excellent shifting performance
- Compatible with all performance housing, lubricant and end cap combinations
- Cables are tinted gold for easy identification

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|----------|----------|---------------------------------|--------|-------------------|-------------|-----|---------|
| 73PS2300 | 1.1mm | Pro Polished Slick Stainless | 2300mm | SRAM®/Shimano® | 15.4g | 1 | Pancake |
| 75PS2300 | 1.1mm | Pro Polished Slick Stainless | 2300mm | Campagnolo® | 15.2g | 1 | Pancake |
| 73PS3100 | 1.1mm | Pro Polished Slick Stainless | 3100mm | SRAM*/Shimano* | 20.7g | 1 | Pancake |
| 75PS3100 | 1.1mm | Pro Polished Slick Stainless | 3100mm | Campagnolo® | 20.8g | 1 | Pancake |

SHIFT INNER WIRE

Sport Shift Inner Wire - Slick Stainless

• Pre-stretched, die-extruded stainless steel is corrosion resistant

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|----------|----------|-----------------|--------|-------------------|-------------|-----|---------|
| 73SS2300 | 1.1mm | Slick Stainless | 2300mm | SRAM®/Shimano® | 15.5g | 1 | Pancake |
| 75SS2300 | 1.1mm | Slick Stainless | 2300mm | Campagnolo® | 15.4g | 1 | Pancake |
| 73SS3100 | 1.1mm | Slick Stainless | 3100mm | SRAM*/Shimano* | 20.7g | 1 | Pancake |
| 75SS3100 | 1.1mm | Slick Stainless | 3100mm | Campagnolo® | 20.7g | 1 | Pancake |
| 71SS4445 | 1.1mm | Slick Stainless | 4445mm | SRAM*/Shimano* | 29.8g | 1 | Pancake |

Sport Shift Inner Wire — Slick Galvanized

• Pre-stretched, die-extruded galvanized steel

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|----------|----------|------------------|--------|-------------------|-------------|-----|---------|
| 73SG2300 | 1.1mm | Slick Galvanized | 2300mm | SRAM®/Shimano® | 15.2g | 1 | Pancake |
| 75SG2300 | 1.1mm | Slick Galvanized | 2300mm | Campagnolo® | 15.4g | 1 | Pancake |
| 73SG3100 | 1.1mm | Slick Galvanized | 3100mm | SRAM®/Shimano® | 20.6g | 1 | Pancake |
| 75SG3100 | 1.1mm | Slick Galvanized | 3100mm | Campagnolo® | 21.1g | 1 | Pancake |

Shift Inner Wire — Workshop Box

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|----------|----------|---|--------|---|-------------|-----|---------|
| 6009866 | 1.1mm | Elite Polished Ultra-Slick Stainless | 2300mm | SRAM®/Shimano® | 15.2g | 25 | Filebox |
| 6009867 | 1.1mm | Elite Polished Ultra-Slick Stainless | 2300mm | Campagnolo® | 15.1g | 25 | Filebox |
| 6009868 | 1.1mm | Pro Polished Slick Stainless | 2300mm | SRAM®/Shimano® | 15.2g | 50 | Filebox |
| 6009869 | 1.1mm | Pro Polished Slick Stainless | 2300mm | Campagnolo® | 15.4g | 50 | Filebox |
| 6009861 | 1.1mm | Slick Stainless | 2300mm | Campagnolo® | 15.5g | 100 | Filebox |
| 6009862 | 1.1mm | Slick Stainless | 2300mm | SRAM [®] /Shimano [®] | 15.4g | 100 | Filebox |
| 6009863 | 1.1mm | Slick Galvanized | 2300mm | SRAM®/Shimano® | 14.9g | 100 | Filebox |



Friction in a brake system results in poor lever feel and slow, sticky performance. Jagwire maintains specific standards for friction and tests hundreds of inner wires every week to ensure these high standards are met and maintained. Lubricated and pre-stretched during the manufacturing process; Jagwire inner wires will ensure worry-free performance.





Pancake Header

Workshop Filebox

Road Elite Brake Inner Wires - Ultra-Slick Polished

- Highly polished cables offer the ultimate in low-friction performance
- Extremely durable, as there is no coating to flake or wear off during installation or use
- Compatible with all performance housings, lubricants and end caps
- Cable ends on the Elite, polished cables are colored black for easy identification

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|----------|----------------------------------|---|--------|---------------------|-------------|-----|---------|
| 96EL2000 | 1.5mm | Elite Polished Ultra-Slick Stainless | 2000mm | SRAM®/Shimano® Road | 22.3g | 1 | Pancake |
| 93EL2000 | 1.5mm | Elite Polished Ultra-Slick Stainless | 2000mm | Campagnolo® | 22.2g | 1 | Pancake |
| 96EL2750 | 1.5mm (Mechanical Disc Brake) | Elite Polished Ultra-Slick Stainless | 2750mm | SRAM®/Shimano® Road | 35.4g | 1 | Pancake |

Mountain Elite Brake Inner Wires - Ultra-Slick Polished

- Highly polished cables offer the ultimate in low-friction performance
- Extremely durable, as there is no coating to flake or wear off during installation or use
- · Compatible with all performance housings, lubricants and end caps
- · Cable ends on the Elite Polished Cables are colored black for easy identification

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|----------|----------------------------------|---|--------|---|-------------|-----|---------|
| 94EL2000 | 1.5mm | Elite Polished Ultra-Slick Stainless | 2000mm | SRAM®/Shimano® MTB | 22.6g | 1 | Pancake |
| 94EL2750 | 1.5mm (Mechanical Disc Brake) | Elite Polished Ultra-Slick Stainless | 2750mm | SRAM [®] /Shimano [®] MTB | 36.3g | 1 | Pancake |

BRAKE INNER WIRE

Road Pro Brake Inner Wires - Slick Polished

- Polished, die-extruded stainless steel
- Low friction for excellent braking performance
- Compatible with all performance housing, lubricant and end cap combinations
- Cables are tinted gold for easy identification

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|----------|----------------------------------|---------------------------------|--------|---------------------|-------------|-----|---------|
| 96PS2000 | 1.5mm | Pro Polished Slick Stainless | 2000mm | SRAM*/Shimano* Road | 22.6g | 1 | Pancake |
| 93PS2000 | 1.5mm | Pro Polished Slick Stainless | 2000mm | Campagnolo® | 22.5g | 1 | Pancake |
| 96PS2750 | 1.5mm (Mechanical Disc Brake) | Pro Polished Slick Stainless | 2750mm | SRAM®/Shimano® Road | 35.9g | 1 | Pancake |

Mountain Pro Brake Inner Wires - Slick Polished

- Polished, die-extruded stainless steel
- Low friction for excellent braking performance
- · Compatible with all performance housing, lubricant and end cap combinations
- Cables are tinted gold for easy identification

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|----------|----------------------------------|---------------------------------|--------|--------------------|-------------|-----|---------|
| 94PS2000 | 1.5mm | Pro Polished Slick Stainless | 2000mm | SRAM®/Shimano® MTB | 22.8g | 1 | Pancake |
| 94PS2750 | 1.5mm (Mechanical Disc Brake) | Pro Polished Slick Stainless | 2750mm | SRAM®/Shimano® MTB | 36.1g | 1 | Pancake |

Road Sport Brake Inner Wires - Slick

- Pre-stretched, die-extruded stainless steel
- Stainless wires are corrosion resistant

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|------------|----------------------------------|------------------|--------|---------------------|-------------|-----|---------|
| 96SS2000 | 1.5mm | Slick Stainless | 2000mm | SRAM®/Shimano® Road | 22.7g | 1 | Pancake |
| 93\$\$2000 | 1.5mm | Slick Stainless | 2000mm | Campagnolo® | 22.5g | 1 | Pancake |
| 96SS2750 | 1.5mm (Mechanical Disc Brake) | Slick Stainless | 2750mm | SRAM®/Shimano® Road | 35.5g | 1 | Pancake |
| 93SS2750 | 1.5mm (Mechanical Disc Brake) | Slick Stainless | 2750mm | Campagnolo® | 35.4g | 1 | Pancake |
| 96SS3500 | 1.5mm | Slick Stainless | 3500mm | SRAM®/Shimano® Road | 44.8g | 1 | Pancake |
| 96SG2000 | 1.5mm | Slick Galvanized | 2000mm | SRAM®/Shimano® Road | 23.0g | 1 | Pancake |
| | | | | | | | |

Mountain Sport Brake Inner Wires - Slick

- Die-extruded stainless or galvanized steel
- Stainless wires are corrosion resistant

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|------------|----------------------------------|------------------|--------|--------------------|-------------|-----|---------|
| 94SS2000 | 1.5mm | Slick Stainless | 2000mm | SRAM®/Shimano® MTB | 22.0g | 1 | Pancake |
| 94SS2750 | 1.5mm (Mechanical Disc Brake) | Slick Stainless | 2750mm | SRAM®/Shimano® MTB | 35.8g | 1 | Pancake |
| 94\$\$3500 | 1.5mm | Slick Stainless | 3500mm | SRAM®/Shimano® MTB | 45.1g | 1 | Pancake |
| 94SG2000 | 1.5mm | Slick Galvanized | 2000mm | SRAM*/Shimano* MTB | 23.2g | 1 | Pancake |

BRAKE INNER WIRE

Road Brake Inner Wires — Workshop Box

- Die-extruded stainless or galvanized steel
- Stainless wires are corrosion resistant

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|----------|----------|---|--------|---------------------|-------------|-----|---------|
| 8009801 | 1.5mm | Elite Polished Ultra-Slick Stainless | 2000mm | SRAM®/Shimano® Road | 22.3g | 25 | Filebox |
| 8009802 | 1.5mm | Elite Polished Ultra-Slick Stainless | 2000mm | Campagnolo® | 22.2g | 25 | Filebox |
| 8009803 | 1.5mm | Pro Polished Slick Stainless | 2000mm | SRAM*/Shimano* Road | 22.6g | 50 | Filebox |
| 8009804 | 1.5mm | Pro Polished Slick Stainless | 2000mm | Campagnolo® | 22.5g | 50 | Filebox |
| 8009805 | 1.5mm | Slick Stainless | 2000mm | SRAM®/Shimano® Road | 22.7g | 100 | Filebox |
| 8009806 | 1.5mm | Slick Stainless | 2000mm | Campagnolo® | 22.5g | 100 | Filebox |
| 8009807 | 1.5mm | Slick Galvanized | 2000mm | SRAM®/Shimano® Road | 23.0g | 100 | Filebox |

Mountain Brake Inner Wires — Workshop Box

- Die-extruded stainless or galvanized steel
- Stainless wires are corrosion resistant

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|----------|----------|---|--------|---|-------------|-----|---------|
| 8009808 | 1.5mm | Elite Polished Ultra-Slick Stainless | 2000mm | SRAM®/Shimano® MTB | 22.6g | 25 | Filebox |
| 8009809 | 1.5mm | Pro Polished Slick Stainless | 2000mm | SRAM [®] /Shimano [®] MTB | 22.8g | 50 | Filebox |
| 8009810 | 1.5mm | Slick Stainless | 2000mm | SRAM®/Shimano® MTB | 22.0g | 100 | Filebox |
| 8009811 | 1.5mm | Slick Galvanized | 2000mm | SRAM®/Shimano® MTB | 23.2g | 100 | Filebox |

HOUSING GUIDE


ULTIMATE ELITE

SHIFT AND BRAKE HOUSINGS


Sealed, Lubricated

Jagwire sealed systems, available only in DIY kits, include liners that run continuously from the lever to the brake or derailleur. This protects the cable and housing from dirt, mud or anything else that can cause friction. Because the liner runs the full length of the cable run, an ultraslick inner cable is recommended to keep friction to a minimum Housing for this system comes in two types:

XEX - lightweight, braided steel strands around a Slick-Lube liner



CSX - high carbon, low compression coiled steel around a Slick-Lube linert



SHIFT AND BRAKE HOUSINGS

Aluminum, Lightweight, Lubricated

An alternative to traditional compressionless housing, this system is made of nesting alloy pieces that protect the liner. Although this housing is typically more expensive, it has several advantages including better flexibility, reduced weight and increased durability. Both shift and brake housings use identical Slick-Lube liners and interconnecting alloy pieces.

ALLOY - Aluminum links around a Slick-Lube liner



BEST PRO

SHIFT HOUSING

Linear Strand, Lubricated

Linear strands of steel are used to encircle the Slick-Lube liner creating a compressionless ring. This delivers responsive, precise, crisp performance necessary in indexed shifting applications.

LEX-SL - linear steel strands around a Slick-Lube liner



DROPPER POST HOUSING

Flexible Linear Strand, Lubricated

Linear strands of steel are used to encircle the Slick-Lube liner. The materials used provide improved flexibility, allowing for easier installation with internal "stealth" cable routing. The added flexibility paired with the ultra-low friction liner delivers light and smooth dropper remote action.

FLEX-SL - flexible linear steel strands around a Slick-Lube liner



BRAKE HOUSINGS

Linear Strand, Kevlar® Reinforced, Lubricated

A performance upgrade to coiled steel, this compressionless housing starts with a similar construction to LEX shift housing, but includes Kevlar® reinforcement. This reduces weight by 30% while improving power transfer and lever feel.

KEB-SL - linear steel strands around a Slick-Lube liner and wrapped in a Kevlar* weave



HOUSING GUIDE


BETTER SPORT

SHIFT HOUSING

Linear Strand, Lubricated

Linear strands of steel are used to encircle the Slick-Lube liner creating a compressionless ring. This delivers responsive, precise, crisp performance necessary in indexed shifting applications.

LEX-SL - linear steel strands around a Slick-Lube liner




BRAKE HOUSING

Coiled Steel, Lubricated

High carbon coiled steel is wrapped around a continuously lubricated inner liner. This coiled steel structure provides the strength needed for brake systems, while the high carbon content limits compression.

CGX-SL - high carbon, low compression coiled steel with a Slick-Lube liner




GOOD BASICS

SHIFT HOUSING

Linear Strand, Non-Lubed

Quality, low-cost shift housing using linear steel strands wrapped around a non-lubricated inner liner. The combination of low cost and long-lasting performance makes it ideal for entry-level bike service.

LEX - linear steel strands around a non-lubed liner



BRAKE HOUSING

Coiled Steel, Non-Lubed

Quality, low-cost brake housing using coiled steel wrapped around a non-lubricated inner liner. The combination of low cost and longlasting performance makes it ideal for entry-level bike service.

CEX - coiled steel housing with non-lubed liner



WARNING

XEX, LEX-SL, FLEX-SL, and LEX shift housings must never be used for brake applications. Only CSX, KEB-SL, CGX-SL, CEX, and alloy link housings are designed to handle the more extreme pressures of braking.



SHIFT HOUSING

SPORT

50 Meter Shop Rolls with Slick-Lube Liner

• LEX-SL - linear strand shift housing with Slick-Lube liner







Workshop Filebox

30 Meter Shop Rolls with Slick-Lube Liner

• LEX-SL - linear strand shift housing with Slick-Lube liner



10 Meter Shop Rolls with Slick-Lube Liner

• LEX-SL - linear strand shift housing with Slick-Lube liner





BRAKE HOUSING

PRO

10 Meter Compressionless Shop Rolls with Slick-Lube Liner

- KEB-SL linear strand, Kevlar -reinforced, compressionless brake housing with Slick-Lube liner
- Perfect for full-housing, high-performance bikes with mechanical disc or rim brakes
- 20 alloy lined end caps, 10 black POP end caps included



SPORT

50 Meter Shop Rolls with Slick-Lube Liner

 CGX-SL - high-carbon, low-compression coiled steel brake housing with Slick-Lube liner




30 Meter Shop Rolls with Slick-Lube Liner

 CGX-SL - high-carbon, low-compression coiled steel brake housing with Slick-Lube liner



10 Meter Shop Rolls with Slick-Lube Liner

 CGX-SL - high-carbon, super-low compression coiled steel brake housing with Slick-Lube liner







Introducing the new Jagwire Basics. With a new logo and updated packaging, we're offering a fresh look on the products you've trusted for more than 20 years. Known for its high quality, reliability and affordable price, the Jagwire Basics assortment provides an extraordinary value.



Basics Shift DIY Kit

- Perfect for 5/6/7 speed bikes, friction shifting, and other bikes where low cost is the priority
- Weld-cut inner cables make for easy installation on SRAM® and Shimano® shifters
- Slick galvanized inner cables are pre-stretched and resist corrosion
- Includes everything needed for a complete shift cable and housing replacement for front and rear derailleurs

| Part No. | Color | Description | Compatibility | What's Included | Package |
|----------|-------|----------------------|--|---|---------|
| BWKS000 | Black | Basics Shift DIY Kit | SRAM [®] /Shimano [®] Road and Mountain | 1 - 2000mm LEX Housing 2 - 2300mm Slick Galvanized Inner Cables 10 - Nylon Open End Caps 2 - Cable Tips (Silver) | DIY Kit |



Basics Brake DIY Kit

- Designed to be a high-quality, low-cost replacement cable and housing kit for bikes with rim brakes
- Double-ended cables are compatible with both mountain and road brakes
- Includes everything needed for a complete brake cable and housing replacement

| Part No. | Color | Description | Compatibility | What's Included | Package |
|----------|-------|----------------------|-------------------------------------|--|---------|
| BWKB000 | Black | Basics Brake DIY Kit | SRAM®/Shimano® Road and Mountain | 1 - 2500mm CEX Housing 1 - 1350mm Slick Galvanized Inner Cable 1 - 2350mm Slick Galvanized Inner Cable 6 - Open Brass End Caps 2 - Cable Tips (Silver) | DIY Kit |

Basics Brake Pads

· No-nonsense, reliable replacement brake pads

| Part No. | Description | Mounting | Color | Compound | Weight |
|-----------------------------------|-------------|----------|-------|----------|--------|
| JS207N BWP1001 (box of 50 pairs) | X-Caliper | Nut | Black | Sport Aw | 43.8g |
| JS451A BWP1003 (box of 50 pairs) | Basics Road | Bolt-On | Black | Sport Aw | 47.9g |



JAGWIRE BASICS

Basics Shift Inner Wire

• Standard galvanized or stainless steel cables

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|----------|----------|------------|--------|---|-------------|-----|---------|
| BWC1011 | 1.2mm | Galvanized | 2300mm | SRAM®/Shimano® | 16.4g | 100 | Filebox |
| BWC1012 | 1.2mm | Stainless | 2300mm | SRAM®/Shimano® | 16.1g | 100 | Filebox |
| 12RG2300 | 1.2mm | Galvanized | 2300mm | SRAM®/Shimano®/Huret, Schwinn, Benelu, Simplex | 16.4g | 1 | Pancake |
| 12RG3050 | 1.2mm | Galvanized | 3050mm | SRAM®/Shimano®/Huret, Schwinn, Benelu, Simplex | 22.2g | 1 | Pancake |





Basics Brake Inner Wire

• Standard galvanized or stainless steel cables

| Part No. | Diameter | Material | Length | Compatible System | Weight Each | Qty | Package |
|----------|----------|------------|--------|---|-------------|-----|---------|
| BWC3003 | 1.6mm | Galvanized | 2000mm | SRAM*/Shimano* MTB | 20.4g | 100 | Filebox |
| BWC3004 | 1.6mm | Stainless | 2000mm | SRAM [®] /Shimano [®] MTB | 20.0g | 100 | Filebox |
| BWC5003 | 1.6mm | Galvanized | 2000mm | SRAM*/Shimano* Road | 20.2g | 100 | Filebox |
| BWC5004 | 1.6mm | Stainless | 2000mm | SRAM*/Shimano* Road | 20.0g | 100 | Filebox |
| 92RG2000 | 1.6mm | Galvanized | 2000mm | SRAM*/Shimano* MTB & Road | 20.4g | 1 | Pancake |
| 92RG2795 | 1.6mm | Galvanized | 2795mm | SRAM®/Shimano® MTB & Road | 33.6g | 1 | Pancake |

Basics Shift Housing

• LEX - linear strand shift housing

50 Meter Shop Rolls



200 Meter Shop Rolls

• 1,000 plastic open end caps included



Basics Brake Housing

• CEX - basic coiled steel brake housing

50 Meter Shop Rolls



200 Meter Shop Rolls

• 700 brass open end caps included



DEALER DISPLAYS

Shop Organization

Part No. Description Holds up to 6 cable or housing fileboxes Stack up to 3 high to store 18 fileboxes JWSF003 File Box Organizer Cutters and fileboxes are not included with Filebox Organizer

Housing Swatch

Part No. Description • Showcases Jagwire housing and end cap Color Swatch Keychain JWSF005 color options

Cable Displays

Part No. Description Compares friction between Pro Polished, JWSF047 Inner Cable Demonstration Display Slick Stainless, and competitor inner cable

Display Header

Part No. Description Jacwie A great way to present your Jagwire products JWSF004 Jagwire Display Header Board · Compatible with slat wall or peg board

DIY Combo Box

Part No. Description • Empty combo box to fill with your own JWSF012 Jagwire DIY Combo Box Jagwire small parts • 17 compartments

Exploring New Horizons for Control Systems

For more than 25 years, Jagwire has pioneered new territory in the manufacture of high performance control systems. As an ISO 9001/TS-16949 company we have an unyielding commitment to quality.

Faster, Leaner, Better

Fully committed to process improvement, our experienced engineering staff is always looking for ways to enhance quality, reduce errors and increase customer satisfaction. Partnering with Toyota, we integrated the highly efficient Toyota Production System (TPS). Our balanced blend of automation and manual processes helps us manage flow and volume, resulting in unsurpassed quality and efficiency. And as a member of the Taiwan A-Team manufacturing group, we develop improved business strategies and tactics to reduce lead times, improve quality and cut defects and waste.

Environment & Community

Recognizing our vital role as responsible global citizens, we strive to produce products that meet the exacting requirements of government agencies for performance, safety and environmental impact. Our primary control system products are CPSIA, Proposition 65 and CEN certified.

Chia Cherne Industry Company, Ltd Warranty Policy

EXTENT OF LIMITED WARRANTY

Chia Cherne/Jagwire warrants its products to be free from defects in materials or workmanship for a period of two years after original purchase. This warranty only applies to the original owner and is not transferable. Claims under this warranty must be made through the retailer where the bicycle or the Jagwire product was purchased. Original proof of purchase is required. Complete product warranty information is available by visiting <code>jagwire.com</code>. Or a copy may be requested via email. Email: <code>info@jagwire.com</code>

Product Safety & Installation

WARNING: Many bicycle service and repair tasks require special knowledge and tools. In order to help minimize the chances of an accident and possible injury, it is critical that you have any installation, repair or maintenance performed by a professional bicycle mechanic or dealer. Do not begin any adjustments or service on your bicycle yourself until you have learned from your mechanic or dealer how to properly complete them. Improper adjustment or service may result in damage to the bicycle or an accident, which can cause serious injury or death.

Consult your dealer or mechanic for help in determining your maintenance requirements. Like any mechanical device, a bicycle and its components are subject to wear and stress. Different materials and mechanisms wear or fatigue from stress at different rates and have different life cycles. If a component's life cycle is exceeded, the component can fail, causing serious injury or death to the rider. Scratches, cracks, fraying of wires and discoloration are signs of stress-caused fatigue and indicate that a part is at the end of its useful life and needs to be replaced. While the materials and workmanship of bicycle components may be covered by a warranty for a specified period of time by the manufacturer, this is no guarantee that the product will last the term of the warranty. Product life is often related to riding style and product care. A component warranty is not meant to suggest that the component cannot be broken or will last forever.

Before installing any component or accessory make sure that it is compatible with your bicycle by checking with your dealer.

WARNING

- Riding with improperly adjusted brakes, worn brake pads, worn control cables or housings is dangerous and can result in serious injury or death.
- Applying brakes too hard or too suddenly can lock up a wheel, which could cause you to lose control and fall. Sudden or excessive application of the front brake may pitch the rider over the handlebars, which may result in serious injury or death.
- Some bicycle brakes, such as disc brakes and linear-pull brakes are extremely powerful. Take extra care in becoming familiar with these brakes and exercise particular care when using them.
- Disc brakes can get extremely hot with extended use. Be careful not to touch a disc brake until it has had plenty of time to cool.
- See the brake manufacturer's instructions for operation and care of your brakes. If you do not have the manufacturer's instructions, see your dealer or contact the brake manufacturer.

WARNING: Jagwire cables, housings and brake pads are not intended for use on any motorized bicycle or vehicle. Any such use could result in a serious personal injury.

Brake Inspection

Inspecting your bicycle's braking systems before each ride is critical to your safety. Check the brakes for proper operation.

- Squeeze the brake levers
- · Are the brake quick-releases closed?
- · All control cables seated and securely engaged?
- Do the brake pads contact the wheel rim squarely and make full contact with the rim?
- · Are the bolts that attach your brake pads to the brake caliper tight?
- Do the brake pads touch the wheel rim within an inch of brake lever movement?
- Can you apply full braking force at the levers without having them touch the handlebar?

If not, your brakes need adjustment. Do not ride the bike until the brakes are properly adjusted by a professional bicycle mechanic.

The effectiveness of braking is dependent on environmental factors and equipment condition over which Jagwire has no control. Consult the owner's manual for your bicycle and a professional bike mechanic or dealer to learn more about proper braking techniques and always practice riding and braking techniques on a flat and level surface prior to riding.

Under wet conditions, the stopping power of your brakes is dramatically reduced. In wet conditions, ride slowly and apply your brakes earlier than you would under normal, dry conditions.

Inspect your brakes, cables and brake pads regularly for damage and always inspect them thoroughly after any crash or severe impact. If you detect damage, please have your bicycle inspected by a professional bike mechanic or dealer.

Important: If the brake pads are worn until the grooves disappear, replace them with new pads. If wheel rims are excessively worn from braking, replace them with new rims.

Cables

Improper set-up or use of brake control cables can result in loss of control or lead to a serious accident, which could lead to a severe injury.

It is your responsibility to ensure that your brake control system cables are functioning properly before each ride. Consult the owner's manual for your bicycle and a professional bike mechanic or dealer to learn more about proper cable installation and maintenance techniques.

Inspect your cables and housings regularly for damage or wire fraying, and always inspect them thoroughly after any crash or severe impact. If you detect damage, please have your bicycle inspected by a professional bike mechanic or dealer.

Important: If your control system wires begin to fray, your housing end caps show any signs of damage or your housing is kinked, replace them with new products.

Installation Assistance

Downloadable instructions are available on www.jagwire.com, or by contacting Jagwire directly.

Europe - eu_service@jagwire.com Asia - service@jagwire.com.tw North & South America - tech@jagwire.com

Trademarks

All trademarks, service marks and trade names of Jagwire and Chia Cherne used herein are trademarks or registered trademarks of the Chia Cherne Industry Company, Ltd. Use of any trademarks or other intellectual property of Chia Cherne, without the express written consent of Chia Cherne, is prohibited

Copyright (c) 2020—Chia Cherne Industry Company, Ltd.

We Support:







JAGWIRE HEAD OFFICE

(OEM/Aftermarket Sales & Manufacturing)
No. 55, Alley 121
Lane 175, Kousheng Rd.
Changhua City, Taiwan
Ph: +886.4.732.3090
Fx: +886.4.732.1824
service@jagwire.com.tw



JAGWIRE EUROPE

(Aftermarket Sales) 14 Avenue Leonard de Vinci 1300 Wavre Belgium Ph: +32 10 23 01 80

Fx: +32 10 23 01 80 Fx: +32 10 23 01 81 jageurope@nowcompany.com

JAGWIRE EUROPE

(Aftermarket Marketing & Service) Blumenstraße 49-51 71106 Magstadt Germany Ph: +49 7159 94 59 300

Ph: +49 7159 94 59 300 Fx: +49 7159 94 59 560 eu_service@jagwire.com

JAGWIRE USA

(Aftermarket Sales & Marketing) 6400 West 105th Street Bloomington, MN 55318 Ph: +1.952.486.3600 info@jagwire.com



